

PHP Mode 0.0.3

A GNU XEmacs mode for editing PHP language

Vincent DEBOUT

Copyright © 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

This manual is free documentation; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

This manual is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License, the file ‘COPYING’, along with PHP Mode. If not, see <http://www.gnu.org/licenses/gpl> or write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

1 Introduction

Inspired from **PHP-Mode** and from **VHDL-Mode**, this new PHP Mode combines the advantages of the two modes to simplify the writing of PHP code: highlight, indentation, completion, templates, navigation into the file (functions and class), navigation into source files...

Features (new features in **bold**) :

- Completion
- Customizable
- Highlight
- Indentation
- Menu
- Stuttering
- Templates
 - .NET
 - Apache
 - Array
 - Control Structures ("declare" function excepted)
 - Date/Time
 - Directory
 - **Email**
 - **Error and Logging**
 - Filesystem ("fscanf" and "set_file_buffer" functions excepted)
 - Functions
 - **Image**
 - **Mathematical**
 - Miscellaneous
 - MySQL
 - **Regular expressions**
 - Sessions
 - **Strings**
 - **Variables**
 - **XML**

This manual describes PHP Mode version 0.0.3.

2 Installation

2.1 Requirements

PHP Mode is a XEmacs major mode that needs the following software/packages:

- **XEmacs**.
- ‘font-lock’ mode generally installed with XEmacs.
- ‘assoc’ mode generally installed with XEmacs.
- ‘easymenu’ mode generally installed with XEmacs.
- ‘hippie-exp’ mode generally installed with XEmacs.

Before continuing, you must be sure to have all this packages installed.

2.2 Download

Two internet address to download PHP Mode :

- Principal: **PHP-Mode 0.0.3** (<http://deboutv.free.fr/lisp/php/>)
- Secondary: **PHP-Mode 0.0.3** (<http://www.morinie.fr/lisp/php/>)
- Old releases: **PHP-Mode** (<http://deboutv.free.fr/lisp/php/>)

2.3 Installation

2.3.1 Installation

To install PHP Mode you need to choose an installation directory (for example ‘/usr/local/share/lisp’ or ‘c:\lisp’). The administrator must have the write rights on this directory.

With your favorite unzip software, unzip the archive in the installation directory.

Example:

```
cd /usr/local/share/lisp
tar zxvf php-mode-0.0.3.tar.gz
```

Now you have a ‘php’ directory in the installation directory. This directory contains 2 files ‘php-mode.el’ and ‘php-mode.elc’ and another directory ‘docs’ containing the documentation.

You need to configure XEmacs. open you initialization file ‘init.el’ (open the file or start XEmacs then choose the *Options* menu and *Edit Init File*). Add the following lines (the installation directory in this example is ‘/usr/local/share/lisp’) :

```
(setq load-path
      (append (list "/usr/local/share/lisp/") load-path))
(autoload 'php-mode "php-mode" "PHP mode" t)
```

2.3.2 Update

The update is easy. You need to unzip the archive in the installation directory to remove the old release.

Example:

```
cd /usr/local/share/lisp
rm -rf php
tar zxvf php-mode-0.0.3.tar.gz
```

2.4 Invoke PHP-Mode

You have two possibilities to invoke the PHP Mode.

- Manually: At each file opening you need to launch PHP Mode with the following command:

M-x php-mode

- Automatically: Add the following lines in your initialization file ‘`init.el`’:

```
(setq auto-mode-alist
      (append
        '(("\\.php$" . php-mode)
          ("\\.php5$" . php-mode))
        auto-mode-alist))
```

3 Customization

This chapter describes the different parameters and functions that you can change to customize PHP Mode. To do that, open a PHP file, click on the *PHP* menu and choose *Options* then *Browse Options...*

3.1 Parameters

3.1.1 Mode

PHP Mode has 3 modes allowing to simplify the writing of PHP code. You can enable/disable each mode individually.

`'php-electric-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable automatic generation of template. If `'nil'`; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by `"/e"` after the mode name and can be toggled by `'php-electric-mode'`.

`'php-stutter-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable the stuttering. Is indicated in the modeline by `"/s"` after the mode name and can be toggled by `'php-stutter-mode'`.

`'php-indent-tabs-mode'`

Type: *boolean*

Default value: `'nil'`

Description: If `'t'`; indentation is made with tabs. If `'nil'`; indentation is made with spaces.

3.1.2 Menu

PHP Mode has also 2 menus that you can enable/disable. The menus *Index* and *Sources* are specific to each PHP file opened.

`'php-index-menu'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Index* menu is enabled. It shows the list of class and functions of the opened file. The *Index* menu scans the file when it is opened.

`'php-index-menu-auto-rescan'`

Type: *boolean*

Default value: `'t'`

Description: If ‘t’; the *Index* menu is updated when a function or a class is added or removed.

‘php-source-file-menu’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *Sources* menu is enabled. This menu contains the list of PHP file located in the current directory. The *Sources* menu scans the directory when a file is opened.

3.1.3 Templates

‘php-include-in-parenthesis’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *include* et *require* functions are used with parenthesis (example : `require('required_file.php');`). If ‘nil’; the *include* and *require* functions are used without parenthesis (example : `include_once 'required_file.php';`)

‘php-add-fclose-with-fopen’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *fclose* function is added when the template of the *fopen* function is executed.

‘php-add-mysql-close-when-connect’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *mysql_close* function is added when the template of *mysql_connect* function is executed.

3.1.3.1 Header

‘php-file-header’

Type: *string*

Default value: “

/**

* <description string>

*

*

* Created: <date>

* Last update: <date>

*

* @link <link string>

* @copyright <copyright>

* @author <author>

* @package <package string>

```
* @version <version string>
*/
```

```
<cursor>"'
```

Description: String or file to insert as file header. If the string specifies an existing file name the contents of the file is inserted; otherwise the string itself is inserted as file header.
Type 'C-j' for newlines.

The following keywords are supported:

<filename>: replaced by the file name.

<author>: replaced by the user name and email address.

<login>: replaced by 'user-login-name'.

<company>: replaced by 'php-company-name' content.

<date>: replaced by the current date.

<year>: replaced by the current year.

<copyright>: replaced by 'php-copyright-string' content.

<cursor>: final cursor position.

'php-file-footer'

Type: *string*

Default value: ""

Description: String or file to insert as file footer. See 'php-file-header'

'php-company-name'

Type: *string*

Default value: ""

Description: Name of the company to insert in file header.

'php-copyright-string'

Type: *string*

Default value: ""

Description: Copyright string to insert in file header.

'php-date-format'

Type: *string*

Default value: "%Y-%m-%d"

Description: Date format.

'php-modify-date-prefix-string'

Type: *string*

Default value: " * Last update: "

Description: Prefix string of modification date in PHP file header.

'php-modify-date-on-saving'

Type: *bool*

Default value: 't'

Description: If 't'; update the modification date when the buffer is saved.

3.1.4 Style

`'php-basic-offset'`

Type: *integer*

Default value: `'4'`

Description: Amount of basic offset used for indentation.

3.1.5 PHPDocumentor

`'php-enable-phpdocumentor-tags'`

Type: *bool*

Default value: `'t'`

Description: If `'t'`; PHP-Documentor tags are added into the class and functions comments.

`'php-class-tags'`

Type: *list (string)*

Default value: `'' ("package")`

Description: List of PHP-Documentor tags to add into the class comments.

`'php-function-tags'`

Type: *list (string)*

Default value: `'' ()`

Description: List of PHP-Documentor tags to add into the functions comments.

3.1.6 Miscellaneous

`'php-intelligent-tab'`

Type: *bool*

Default value: `'t'`

Description: If `'t'`; TAB does indentation; completion and insert tabulations.
If `'nil'`; TAB does only indentation.

`'php-word-completion-in-minibuffer'`

Type: *bool*

Default value: `'t'`

Description: If `'t'`; enable completion in the minibuffer.

`'php-word-completion-case-sensitive'`

Type: *bool*

Default value: `'nil'`

Description: If `'t'`; completion is case sensitive.

3.2 Functions

3.2.1 Mode

`'php-electric-mode'`

Menu: *PHP -> Options -> Mode -> Electric Mode*

Keybinding: *C-c C-m C-e*

Description: This functions is used to enable/disable the electric mode.

`'php-stutter-mode'`

Menu: *PHP -> Options -> Mode -> Stutter Mode*

Keybinding: *C-c C-m C-s*

Description: This function is used to enable/disable the stutter mode.

4 Menus

There are 3 menus: *PHP*, *Index* and *Sources*. All these menus can be accessed from the menubar or from the right click. This chapter describes each menu.

4.1 PHP

This is the main menu of PHP Mode. It allows an easy access to the main features of the PHP Mode: *Templates* (see [Chapter 8 \[Templates\]](#), page 14), *Indentation* (see [Chapter 6 \[Indentation\]](#), page 12) and *Options* (see [Chapter 3 \[Customization\]](#), page 4).

This menu contains also 3 functions that are discussed in the next part.

4.1.1 Functions

`'php-show-messages'`

Menu: *PHP → Show Messages*

Keybinding: *C-c M-m*

Description: This function opens the **Messages** buffer to display previous error messages.

`'php-doc-mode'`

Menu: *PHP → PHP Mode Documentation*

Keybinding: *C-c C-h*

Description: This function opens the **Help** buffer and prints in it the PHP Mode documentation.

`'php-version'`

Menu: *PHP → Version*

Keybinding: *C-c C-v*

Description: This function displays in the minibuffer the current PHP Mode version with the timestamp.

4.2 Index

The *Index* menu allows you to navigate into the current buffer to find functions and classes. This menu is built during the buffer opening and you need to refresh it if you add or remove functions or classes. There is one *Index* menu per buffer.

4.2.1 Customization

`'php-index-menu'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Index* menu is enabled. It shows the list of class and functions of the opened file. The *Index* menu scans the file when it is opened.

`'php-index-menu-auto-rescan'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Index* menu is updated when a function or a class is added or removed.

4.3 Sources

The *Sources* menu shows the PHP files in the current directory. If you add or delete a file in the current directory, you need to refresh the menu.

4.3.1 Customization

`'php-source-file-menu'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Sources* menu is enabled. This menu contains the list of PHP file located in the current directory. The *Sources* menu scans the directory when a file is opened.

4.3.2 Functions

`'php-add-source-files-menu'`

Menu: *Sources* \rightarrow **Rescan**

Keybinding: *C-c C-s C-u*

Description: This function is used to refresh the *Sources* menu.

5 Completion

Completion allows you to write PHP code by reducing errors in function names or variable names. It also suggests PHP function names.

To use completion, write the first letters and use `(TAB)` to complete the word until you find the perfect completion. For example, in a blank PHP buffer, type "mysql_" and complete the function name with `(TAB)`: all `mysql_*` functions are proposed.

Completion can occur with the supported PHP functions, the PHP code written in the current buffer and the PHP code written in all other files that are opened in the current XEmacs window.

Completion is customizable.

5.1 Customization

`'php-intelligent-tab'`

Type: *bool*

Default value: 't'

Description: If 't'; TAB does indentation; completion and insert tabulations. If 'nil'; TAB does only indentation.

`'php-word-completion-in-minibuffer'`

Type: *bool*

Default value: 't'

Description: If 't'; enable completion in the minibuffer.

`'php-word-completion-case-sensitive'`

Type: *bool*

Default value: 'nil'

Description: If 't'; completion is case sensitive.

6 Indentation

Indentation can be done with spaces or TAB characters. A new line is automatically indented. You can manually indent or remove indentation by placing the cursor at the beginning of the first word and by using the `(TAB)` key.

6.1 Customization

`'php-indent-tabs-mode'`

Type: *boolean*

Default value: `'nil'`

Description: If `'t'`; indentation is made with tabs. If `'nil'`; indentation is made with spaces.

`'php-basic-offset'`

Type: *integer*

Default value: `'4'`

Description: Amount of basic offset used for indentation.

6.2 Functions

`'indent-according-to-mode'`

Menu: *PHP -> Indent -> Line*

Keybinding: *C-c C-i C-l*

Description: This function is used to indent the current line (the line where the cursor is).

`'php-indent-region'`

Menu: *PHP -> Indent -> Region*

Keybinding: *M-C-*

Description: This function is used to indent the selected region in the current buffer.

`'php-indent-buffer'`

Menu: *PHP -> Indent -> Buffer*

Keybinding: *C-c C-i C-b*

Description: This function is used to indent the buffer.

7 Stuttering

The stutter mode is a mode that affects a function to a key. For example, when you use the *ENTER* key, the associated function will create a new line and indent it.

7.1 Customization

`'php-stutter-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable the stuttering. Is indicated in the modeline by `"/s"` after the mode name and can be toggled by `'php-stutter-mode'`.

7.2 Functions

<i>SPACE</i>	If in comment, indent the comment and add new line if necessary. In other case, add a space.
<i>ENTER</i>	Insert a new line and indent it.
<code>}</code>	Insert a new line and indent it.
<code>;</code>	Insert a new line and indent it.
<code>*</code>	If the previous character is a <code>'/'</code> , a prompt will ask you for inserting a <code>'/* */'</code> comment type (with the <i>SPACE</i> key) or <code>'/**</code> <code>*</code> <code>*/'</code> coment type (with the <code>*</code> key).
<code>(</code>	If the previous character is a <code>'('</code> , the <code>'(('</code> will be replaced by <code>'['</code> . If the previous character is a <code>'['</code> , the <code>'[(</code> will be replaced by <code>'{'</code> . In other case, insert a <code>'('</code> .
<code>)</code>	If the previous character is a <code>')'</code> , the <code>'))'</code> will be replaced by <code>']'</code> . If the previous character is a <code>']'</code> , the <code>'])'</code> will be replaced by <code>'}'</code> . In other case, insert a <code>')</code> .

8 Templates

In the PHP Mode, the PHP functions (like if, while, for, fopen, fclose) are predefined in functions called "Templates".

Each template can be invoked by the function name or by using the `<SPACE>` key after the PHP function name in the buffer (Note, using `M-<SPACE>` disable the template).

A template can be aborted by using the `C-g` or by leaving empty the template prompt (in the minibuffer).

8.1 Customization

`'php-electric-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable automatic generation of template. If `'nil'`; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by `"/e"` after the mode name and can be toggled by `'php-electric-mode'`.

For a complete description of the template customizable variables, see [Section 3.1.3 \[Cu01-Pa01-Template\]](#), page 5

8.2 Functions

8.2.1 .NET

`'php-template-dotnet-load'`

Menu: *PHP → Templates → .NET → dotnet_load*

Keybinding: *none*

PHP Function: `dotnet_load`

8.2.2 Apache

`'php-template-apache-child-terminate'`

Menu: *PHP → Templates → Apache → apache_child_terminate*

Keybinding: *none*

PHP Function: `apache_child_terminate`

`'php-template-apache-get-modules'`

Menu: *PHP → Templates → Apache → apache_get_modules*

Keybinding: *none*

PHP Function: `apache_get_modules`

`'php-template-apache-get-version'`

Menu: *PHP → Templates → Apache → apache_get_version*

Keybinding: *none*

PHP Function: `apache_get_version`

`'php-template-apache-getenv'`
Menu: *PHP → Templates → Apache → apache_getenv*
Keybinding: *none*
PHP Function: `apache_getenv`

`'php-template-apache-lookup-uri'`
Menu: *PHP → Templates → Apache → apache_lookup_uri*
Keybinding: *none*
PHP Function: `apache_lookup_uri`

`'php-template-apache-note'`
Menu: *PHP → Templates → Apache → apache_note*
Keybinding: *none*
PHP Function: `apache_note`

`'php-template-apache-request-headers'`
Menu: *PHP → Templates → Apache → apache_request_headers*
Keybinding: *none*
PHP Function: `apache_request_headers`

`'php-template-apache-reset-timeout'`
Menu: *PHP → Templates → Apache → apache_reset_timeout*
Keybinding: *none*
PHP Function: `apache_reset_timeout`

`'php-template-apache-response-headers'`
Menu: *PHP → Templates → Apache → apache_response_headers*
Keybinding: *none*
PHP Function: `apache_response_headers`

`'php-template-apache-setenv'`
Menu: *PHP → Templates → Apache → apache_setenv*
Keybinding: *none*
PHP Function: `apache_setenv`

`'php-template-ascii2ebcdic'`
Menu: *PHP → Templates → Apache → ascii2ebcdic*
Keybinding: *none*
PHP Function: `ascii2ebcdic`

`'php-template-ebcdic2ascii'`
Menu: *PHP → Templates → Apache → ebcdic2ascii*
Keybinding: *none*
PHP Function: `ebcdic2ascii`

`'php-template-getallheaders'`
Menu: *PHP → Templates → Apache → getallheaders*
Keybinding: *none*
PHP Function: `getallheaders`

`'php-template-virtual'`

Menu: *PHP → Templates → Apache → virtual*

Keybinding: *none*

PHP Function: *virtual*

8.2.3 Array Functions

`'php-template-array-change-key-case'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_change_key_case*

Keybinding: *none*

PHP Function: *array_change_key_case*

`'php-template-array-chunk'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_chunk*

Keybinding: *none*

PHP Function: *array_chunk*

`'php-template-array-combine'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_combine*

Keybinding: *none*

PHP Function: *array_combine*

`'php-template-array-count-values'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_count_values*

Keybinding: *none*

PHP Function: *array_count_values*

`'php-template-array-diff-assoc'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff_assoc*

Keybinding: *none*

PHP Function: *array_diff_assoc*

`'php-template-array-diff-key'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff_key*

Keybinding: *none*

PHP Function: *array_diff_key*

`'php-template-array-diff-uassoc'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff_uassoc*

Keybinding: *none*

PHP Function: *array_diff_uassoc*

‘php-template-array-diff-ukey’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff_ukey*

Keybinding: *none*

PHP Function: *array_diff_ukey*

‘php-template-array-diff’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff*

Keybinding: *none*

PHP Function: *array_diff*

‘php-template-array-fill’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_fill*

Keybinding: *none*

PHP Function: *array_fill*

‘php-template-array-filter’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_filter*

Keybinding: *none*

PHP Function: *array_filter*

‘php-template-array-flip’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_flip*

Keybinding: *none*

PHP Function: *array_flip*

‘php-template-array-intersect-assoc’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_assoc*

Keybinding: *none*

PHP Function: *array_intersect_assoc*

‘php-template-array-intersect-key’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_key*

Keybinding: *none*

PHP Function: *array_intersect_key*

‘php-template-array-intersect-uassoc’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_uassoc*

Keybinding: *none*

PHP Function: *array_intersect_uassoc*

‘php-template-array-intersect-ukey’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_ukey*

Keybinding: none
PHP Function: array_intersect_ukey

‘php-template-array-intersect’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect*
Keybinding: none
PHP Function: array_intersect

‘php-template-array-exists’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_key_exists*
Keybinding: none
PHP Function: array_key_exists

‘php-template-array-keys’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_keys*
Keybinding: none
PHP Function: array_keys

‘php-template-array-map’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_map*
Keybinding: none
PHP Function: array_map

‘php-template-array-merge-recursive’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_merge_recursive*
Keybinding: none
PHP Function: array_merge_recursive

‘php-template-array-merge’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_merge*
Keybinding: none
PHP Function: array_merge

‘php-template-array-multisort’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_multisort*
Keybinding: none
PHP Function: array_multisort

‘php-template-array-pad’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_pad*
Keybinding: none
PHP Function: array_pad

`'php-template-array-pop'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_pop*

Keybinding: *none*

PHP Function: *array_pop*

`'php-template-array-product'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_product*

Keybinding: *none*

PHP Function: *array_product*

`'php-template-array-push'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_push*

Keybinding: *none*

PHP Function: *array_push*

`'php-template-array-rand'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_rand*

Keybinding: *none*

PHP Function: *array_rand*

`'php-template-array-reduce'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_reduce*

Keybinding: *none*

PHP Function: *array_reduce*

`'php-template-array-reverse'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_reverse*

Keybinding: *none*

PHP Function: *array_reverse*

`'php-template-array-search'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_search*

Keybinding: *none*

PHP Function: *array_search*

`'php-template-array-shift'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_shift*

Keybinding: *none*

PHP Function: *array_shift*

`'php-template-array-slice'`

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_slice*

Keybinding: none
PHP Function: array_slice

‘php-template-array-splice’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_splice*
Keybinding: none
PHP Function: array_splice

‘php-template-array-sum’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_sum*
Keybinding: none
PHP Function: array_sum

‘php-template-array-udiff-assoc’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_udiff_assoc*
Keybinding: none
PHP Function: array_udiff_assoc

‘php-template-array-udiff-uassoc’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_udiff_uassoc*
Keybinding: none
PHP Function: array_udiff_uassoc

‘php-template-array-udiff’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_udiff*
Keybinding: none
PHP Function: array_udiff

‘php-template-array-uintersect-assoc’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_uintersect_assoc*
Keybinding: none
PHP Function: array_uintersect_assoc

‘php-template-array-uintersect-uassoc’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_uintersect_uassoc*
Keybinding: none
PHP Function: array_uintersect_uassoc

‘php-template-array-uintersect’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → array_uintersect*
Keybinding: none
PHP Function: array_uintersect

‘php-template-array-unique’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → array_unique*

Keybinding: *none*

PHP Function: *array_unique*

‘php-template-array-unshift’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → array_unshift*

Keybinding: *none*

PHP Function: *array_unshift*

‘php-template-array-values’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → array_values*

Keybinding: *none*

PHP Function: *array_values*

‘php-template-array-walk-recursive’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → array_walk_recursive*

Keybinding: *none*

PHP Function: *array_walk_recursive*

‘php-template-array-walk’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → array_walk*

Keybinding: *none*

PHP Function: *array_walk*

‘php-template-array’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → array*

Keybinding: *none*

PHP Function: *array*

‘php-template-arsort’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → arsort*

Keybinding: *none*

PHP Function: *arsort*

‘php-template-asort’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → asort*

Keybinding: *none*

PHP Function: *asort*

‘php-template-compact’

Menu: *PHP → Templates → Array functions → Array (array_uintersect → list) → compact*

Keybinding: none
PHP Function: compact

‘php-template-count’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> count*
Keybinding: none
PHP Function: count

‘php-template-current’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> current*
Keybinding: none
PHP Function: current

‘php-template-each’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> each*
Keybinding: none
PHP Function: each

‘php-template-end’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> end*
Keybinding: none
PHP Function: end

‘php-template-extract’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> extract*
Keybinding: none
PHP Function: extract

‘php-template-in-array’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> in_array*
Keybinding: none
PHP Function: in_array

‘php-template-key’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> key*
Keybinding: none
PHP Function: key

‘php-template-krsort’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> krsort*
Keybinding: none
PHP Function: krsort

`'php-template-ksort'`

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> ksort*

Keybinding: *none*

PHP Function: *ksort*

`'php-template-list'`

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> list*

Keybinding: *none*

PHP Function: *list*

`'php-template-natcasesort'`

Menu: *PHP -> Templates -> Array functions -> Array (natcasesort -> usort) -> natcasesort*

Keybinding: *none*

PHP Function: *natcasesort*

`'php-template-natsort'`

Menu: *PHP -> Templates -> Array functions -> Array (natcasesort -> usort) -> natsort*

Keybinding: *none*

PHP Function: *natsort*

`'php-template-next'`

Menu: *PHP -> Templates -> Array functions -> Array (natcasesort -> usort) -> next*

Keybinding: *none*

PHP Function: *next*

`'php-template-pos'`

Menu: *PHP -> Templates -> Array functions -> Array (natcasesort -> usort) -> pos*

Keybinding: *none*

PHP Function: *pos*

`'php-template-prev'`

Menu: *PHP -> Templates -> Array functions -> Array (natcasesort -> usort) -> prev*

Keybinding: *none*

PHP Function: *prev*

`'php-template-range'`

Menu: *PHP -> Templates -> Array functions -> Array (natcasesort -> usort) -> range*

Keybinding: *none*

PHP Function: *range*

`'php-template-reset'`

Menu: *PHP -> Templates -> Array functions -> Array (natcasesort -> usort) -> reset*

Keybinding: none
PHP Function: reset

‘php-template-rsort’

Menu: *PHP → Templates → Array functions → Array (natcasesort → usort) → rsort*
Keybinding: none
PHP Function: rsort

‘php-template-shuffle’

Menu: *PHP → Templates → Array functions → Array (natcasesort → usort) → shuffle*
Keybinding: none
PHP Function: shuffle

‘php-template-sizeof’

Menu: *PHP → Templates → Array functions → Array (natcasesort → usort) → sizeof*
Keybinding: none
PHP Function: sizeof

‘php-template-sort’

Menu: *PHP → Templates → Array functions → Array (natcasesort → usort) → sort*
Keybinding: none
PHP Function: sort

‘php-template-uasort’

Menu: *PHP → Templates → Array functions → Array (natcasesort → usort) → uasort*
Keybinding: none
PHP Function: uasort

‘php-template-uksort’

Menu: *PHP → Templates → Array functions → Array (natcasesort → usort) → uksort*
Keybinding: none
PHP Function: uksort

‘php-template-usort’

Menu: *PHP → Templates → Array functions → Array (natcasesort → usort) → usort*
Keybinding: none
PHP Function: usort

8.2.4 Control Structures

‘php-template-break’

Menu: *PHP → Templates → Control Structures → break*
Keybinding: none
PHP Function: break

'php-template-continue'
Menu: *PHP → Templates → Control Structures → continue*
Keybinding: *none*
PHP Function: *continue*

'php-template-do-while'
Menu: *PHP → Templates → Control Structures → do-while*
Keybinding: *none*
PHP Function: *do-while*

'php-template-else'
Menu: *PHP → Templates → Control Structures → else*
Keybinding: *none*
PHP Function: *else*

'php-template-elseif'
Menu: *PHP → Templates → Control Structures → elseif*
Keybinding: *none*
PHP Function: *elseif*

'php-template-for'
Menu: *PHP → Templates → Control Structures → for*
Keybinding: *none*
PHP Function: *for*

'php-template-foreach'
Menu: *PHP → Templates → Control Structures → foreach*
Keybinding: *none*
PHP Function: *foreach*

'php-template-if'
Menu: *PHP → Templates → Control Structures → if*
Keybinding: *none*
PHP Function: *if*

'php-template-include'
Menu: *PHP → Templates → Control Structures → include*
Keybinding: *none*
PHP Function: *include*

'php-template-include-once'
Menu: *PHP → Templates → Control Structures → include_once*
Keybinding: *none*
PHP Function: *include_once*

'php-template-require'
Menu: *PHP → Templates → Control Structures → require*
Keybinding: *none*
PHP Function: *require*

'php-template-require-once'
Menu: *PHP → Templates → Control Structures → require_once*
Keybinding: *none*
PHP Function: *require_once*

'php-template-return'
Menu: *PHP → Templates → Control Structures → return*
Keybinding: *none*
PHP Function: *return*

'php-template-switch'
Menu: *PHP → Templates → Control Structures → switch*
Keybinding: *none*
PHP Function: *switch*

'php-template-while'
Menu: *PHP → Templates → Control Structures → while*
Keybinding: *none*
PHP Function: *while*

8.2.5 Date/Time Functions

'php-template-checkdate'
Menu: *PHP → Templates → Date/Time Functions → checkdate*
Keybinding: *none*
PHP Function: *checkdate*

'php-template-date-default-timezone-get'
Menu: *PHP → Templates → Date/Time Functions → date_default_timezone_get*

Keybinding: *none*
PHP Function: *date_default_timezone_get*

'php-template-date-default-timezone-set'
Menu: *PHP → Templates → Date/Time Functions → date_default_timezone_set*

Keybinding: *none*
PHP Function: *date_default_timezone_set*

'php-template-date-sunrise'
Menu: *PHP → Templates → Date/Time Functions → date_sunrise*
Keybinding: *none*
PHP Function: *date_sunrise*

'php-template-date-sunset'
Menu: *PHP → Templates → Date/Time Functions → date_sunset*
Keybinding: *none*
PHP Function: *date_sunset*

`'php-template-date'`
Menu: *PHP → Templates → Date/Time Functions → date*
Keybinding: none
PHP Function: date

`'php-template-getdate'`
Menu: *PHP → Templates → Date/Time Functions → getdate*
Keybinding: none
PHP Function: getdate

`'php-template-gettimeofday'`
Menu: *PHP → Templates → Date/Time Functions → gettimeofday*
Keybinding: none
PHP Function: gettimeofday

`'php-template-gmtime'`
Menu: *PHP → Templates → Date/Time Functions → gmdate*
Keybinding: none
PHP Function: gmdate

`'php-template-gmmktime'`
Menu: *PHP → Templates → Date/Time Functions → gmmktime*
Keybinding: none
PHP Function: gmmktime

`'php-template-gmstrftime'`
Menu: *PHP → Templates → Date/Time Functions → gmstrftime*
Keybinding: none
PHP Function: gmstrftime

`'php-template-idate'`
Menu: *PHP → Templates → Date/Time Functions → idate*
Keybinding: none
PHP Function: idate

`'php-template-localtime'`
Menu: *PHP → Templates → Date/Time Functions → localtime*
Keybinding: none
PHP Function: localtime

`'php-template-microtime'`
Menu: *PHP → Templates → Date/Time Functions → microtime*
Keybinding: none
PHP Function: microtime

`'php-template-mktime'`
Menu: *PHP → Templates → Date/Time Functions → mktime*
Keybinding: none
PHP Function: mktime

'php-template-strftime'
Menu: *PHP → Templates → Date/Time Functions → strftime*
Keybinding: *none*
PHP Function: *strftime*

'php-template-strptime'
Menu: *PHP → Templates → Date/Time Functions → strptime*
Keybinding: *none*
PHP Function: *strptime*

'php-template-strtotime'
Menu: *PHP → Templates → Date/Time Functions → strtotime*
Keybinding: *none*
PHP Function: *strtotime*

'php-template-time'
Menu: *PHP → Templates → Date/Time Functions → time*
Keybinding: *none*
PHP Function: *time*

8.2.6 Directory Functions

'php-template-chdir'
Menu: *PHP → Templates → Directory Functions → chdir*
Keybinding: *none*
PHP Function: *chdir*

'php-template-chroot'
Menu: *PHP → Templates → Directory Functions → chroot*
Keybinding: *none*
PHP Function: *chroot*

'php-template-dir'
Menu: *PHP → Templates → Directory Functions → dir*
Keybinding: *none*
PHP Function: *dir*

'php-template-closedir'
Menu: *PHP → Templates → Directory Functions → closedir*
Keybinding: *none*
PHP Function: *closedir*

'php-template-getcwd'
Menu: *PHP → Templates → Directory Functions → getcwd*
Keybinding: *none*
PHP Function: *getcwd*

'php-template-opendir'
Menu: *PHP → Templates → Directory Functions → opendir*
Keybinding: *none*
PHP Function: *opendir*

`'php-template-readdir'`

Menu: *PHP → Templates → Directory Functions → readdir*

Keybinding: *none*

PHP Function: *readdir*

`'php-template-rewinddir'`

Menu: *PHP → Templates → Directory Functions → rewinddir*

Keybinding: *none*

PHP Function: *rewinddir*

`'php-template-scandir'`

Menu: *PHP → Templates → Directory Functions → scandir*

Keybinding: *none*

PHP Function: *scandir*

8.2.7 Error and Logging

`'php-template-debug-backtrace'`

Menu: *PHP → Templates → Error and Logging → debug_backtrace*

Keybinding: *none*

PHP Function: *debug_backtrace*

`'php-template-debug-print-backtrace'`

Menu: *PHP → Templates → Error and Logging → debug_print_backtrace*

Keybinding: *none*

PHP Function: *debug_print_backtrace*

`'php-template-error-log'`

Menu: *PHP → Templates → Error and Logging → error_log*

Keybinding: *none*

PHP Function: *error_log*

`'php-template-error-reporting'`

Menu: *PHP → Templates → Error and Logging → error_reporting*

Keybinding: *none*

PHP Function: *error_reporting*

`'php-template-restore-error-handler'`

Menu: *PHP → Templates → Error and Logging → restore_error_handler*

Keybinding: *none*

PHP Function: *restore_error_handler*

`'php-template-restore-exception-handler'`

Menu: *PHP → Templates → Error and Logging → restore_exception_handler*

Keybinding: *none*

PHP Function: *restore_exception_handler*

`'php-template-set-error-handler'`

Menu: *PHP → Templates → Error and Logging → set_error_handler*

Keybinding: *none*

PHP Function: *set_error_handler*

'php-template-set-exception-handler'
Menu: *PHP -> Templates -> Error and Logging -> set_exception_handler*
Keybinding: *none*
PHP Function: *set_exception_handler*

'php-template-trigger-error'
Menu: *PHP -> Templates -> Error and Logging -> trigger_error*
Keybinding: *none*
PHP Function: *trigger_error*

'php-template-user-error'
Menu: *PHP -> Templates -> Error and Logging -> user_error*
Keybinding: *none*
PHP Function: *user_error*

8.2.8 File System

'php-template-basename'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> basename*
Keybinding: *none*
PHP Function: *basename*

'php-template-chgrp'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> chgrp*
Keybinding: *none*
PHP Function: *chgrp*

'php-template-chmod'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> chmod*
Keybinding: *none*
PHP Function: *chmod*

'php-template-chown'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> chown*
Keybinding: *none*
PHP Function: *chown*

'php-template-clearstatcache'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> clearstatcache*
Keybinding: *none*
PHP Function: *clearstatcache*

'php-template-copy'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> copy*

Keybinding: none
PHP Function: copy

'php-template-delete'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> delete*
Keybinding: none
PHP Function: delete

'php-template-dirname'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> dirname*
Keybinding: none
PHP Function: dirname

'php-template-disk-free-space'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> disk_free_space*
Keybinding: none
PHP Function: disk_free_space

'php-template-disk-total-space'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> disk_total_space*
Keybinding: none
PHP Function: disk_total_space

'php-template-diskfreespace'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> diskfreespace*
Keybinding: none
PHP Function: diskfreespace

'php-template-fclose'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fclose*
Keybinding: none
PHP Function: fclose

'php-template-feof'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> feof*
Keybinding: none
PHP Function: feof

'php-template-fflush'

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fflush*
Keybinding: none
PHP Function: fflush

'php-template-fgetc'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgetc*
Keybinding: none
PHP Function: fgetc

'php-template-fgetcsv'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgetcsv*
Keybinding: none
PHP Function: fgetcsv

'php-template-fgets'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgets*
Keybinding: none
PHP Function: fgets

'php-template-fgetss'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgetss*
Keybinding: none
PHP Function: fgetss

'php-template-file-exists'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> file_exists*
Keybinding: none
PHP Function: file_exists

'php-template-file-get-contents'
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> file_get_contents*
Keybinding: none
PHP Function: file_get_contents

'php-template-file-put-contents'
Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> file_put_contents*
Keybinding: none
PHP Function: file_put_contents

'php-template-file'
Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> file*
Keybinding: none
PHP Function: file

'php-template-fileatime'
Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> fileatime*

Keybinding: none
PHP Function: fileatime

‘php-template-filectime’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → filectime*
Keybinding: none
PHP Function: filectime

‘php-template-filegroup’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → filegroup*
Keybinding: none
PHP Function: filegroup

‘php-template-fileinode’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → fileinode*
Keybinding: none
PHP Function: fileinode

‘php-template-filemtime’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → filemtime*
Keybinding: none
PHP Function: filemtime

‘php-template-fileowner’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → fileowner*
Keybinding: none
PHP Function: fileowner

‘php-template-fileperms’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → fileperms*
Keybinding: none
PHP Function: fileperms

‘php-template-filesize’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → filesize*
Keybinding: none
PHP Function: filesize

‘php-template-filetype’

Menu: *PHP → Templates → File System → File System (File_put_contents
→ Fseek) → filetype*
Keybinding: none
PHP Function: filetype

‘php-template-flock’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → flock*
Keybinding: *none*
PHP Function: flock

‘php-template-fnmatch’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → fnmatch*
Keybinding: *none*
PHP Function: fnmatch

‘php-template-fopen’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → fopen*
Keybinding: *none*
PHP Function: fopen

‘php-template-fpassthru’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → fpassthru*
Keybinding: *none*
PHP Function: fpassthru

‘php-template-fputcsv’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → fputcsv*
Keybinding: *none*
PHP Function: fputcsv

‘php-template-fwrite’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → fputs*
Keybinding: *none*
PHP Function: fputs

‘php-template-fread’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → fread*
Keybinding: *none*
PHP Function: fread

‘php-template-fseek’
Menu: *PHP → Templates → File System → File System (File_put_contents → Fseek) → fseek*
Keybinding: *none*
PHP Function: fseek

‘php-template-fstat’
Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo) → fstat*

Keybinding: none
PHP Function: fstat

‘php-template-ftell’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ ftell
Keybinding: none
PHP Function: ftell

‘php-template-ftruncate’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ ftruncate
Keybinding: none
PHP Function: ftruncate

‘php-template-fwrite’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ fwrite
Keybinding: none
PHP Function: fwrite

‘php-template-glob’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ glob
Keybinding: none
PHP Function: glob

‘php-template-is-dir’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_dir
Keybinding: none
PHP Function: is_dir

‘php-template-is-executable’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_executable
Keybinding: none
PHP Function: is_executable

‘php-template-is-file’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_file
Keybinding: none
PHP Function: is_file

‘php-template-is-link’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_link
Keybinding: none
PHP Function: is_link

`'php-template-is-readable'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_readable

Keybinding: *none*

PHP Function: *is_readable*

`'php-template-is-uploaded-file'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_uploaded_file

Keybinding: *none*

PHP Function: *is_uploaded_file*

`'php-template-is-writable'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_writable

Keybinding: *none*

PHP Function: *is_writable*

`'php-template-is-writable'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ is_writeable

Keybinding: *none*

PHP Function: *is_writeable*

`'php-template-link'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ link

Keybinding: *none*

PHP Function: *link*

`'php-template-linkinfo'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ linkinfo

Keybinding: *none*

PHP Function: *linkinfo*

`'php-template-lstat'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ lstat

Keybinding: *none*

PHP Function: *lstat*

`'php-template-mkdir'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ mkdir

Keybinding: *none*

PHP Function: *mkdir*

`'php-template-move-uploaded-file'`

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ move_uploaded_file

Keybinding: none
PHP Function: move_uploaded_file

'php-template-parse-ini-file'

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ parse_ini_file
Keybinding: none
PHP Function: parse_ini_file

'php-template-pathinfo'

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ pathinfo
Keybinding: none
PHP Function: pathinfo

'php-template-pclose'

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ pclose
Keybinding: none
PHP Function: pclose

'php-template-popen'

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ popen
Keybinding: none
PHP Function: popen

'php-template-readfile'

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ readfile
Keybinding: none
PHP Function: readfile

'php-template-readlink'

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ readlink
Keybinding: none
PHP Function: readlink

'php-template-realpath'

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ realpath
Keybinding: none
PHP Function: realpath

'php-template-rename'

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ rename
Keybinding: none
PHP Function: rename

‘php-template-rewind’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *rewind*
Keybinding: *none*
PHP Function: *rewind*

‘php-template-rmdir’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *rmdir*
Keybinding: *none*
PHP Function: *rmdir*

‘php-template-stat’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *stat*
Keybinding: *none*
PHP Function: *stat*

‘php-template-symlink’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *symlink*
Keybinding: *none*
PHP Function: *symlink*

‘php-template-tempnam’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *tempnam*
Keybinding: *none*
PHP Function: *tempnam*

‘php-template-tmpfile’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *tmpfile*
Keybinding: *none*
PHP Function: *tmpfile*

‘php-template-touch’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *touch*
Keybinding: *none*
PHP Function: *touch*

‘php-template-umask’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *umask*
Keybinding: *none*
PHP Function: *umask*

‘php-template-unlink’
Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *unlink*

Keybinding: *none*
PHP Function: *unlink*

8.2.9 Functions

'php-template-call-user-func-array'
Menu: *PHP → Templates → Functions → call_user_func_array*
Keybinding: *none*
PHP Function: *call_user_func_array*

'php-template-call-user-func'
Menu: *PHP → Templates → Functions → call_user_func*
Keybinding: *none*
PHP Function: *call_user_func*

'php-template-create-function'
Menu: *PHP → Templates → Functions → create_function*
Keybinding: *none*
PHP Function: *create_function*

'php-template-func-get-arg'
Menu: *PHP → Templates → Functions → func_get_arg*
Keybinding: *none*
PHP Function: *func_get_arg*

'php-template-func-get-args'
Menu: *PHP → Templates → Functions → func_get_args*
Keybinding: *none*
PHP Function: *func_get_args*

'php-template-func-num-args'
Menu: *PHP → Templates → Functions → func_num_args*
Keybinding: *none*
PHP Function: *func_num_args*

'php-template-function-exists'
Menu: *PHP → Templates → Functions → function_exists*
Keybinding: *none*
PHP Function: *function_exists*

'php-template-get-defined-functions'
Menu: *PHP → Templates → Functions → get_defined_functions*
Keybinding: *none*
PHP Function: *get_defined_functions*

'php-template-register-shutdown-function'
Menu: *PHP → Templates → Functions → register_shutdown_function*
Keybinding: *none*
PHP Function: *register_shutdown_function*

`'php-template-register-tick-function'`

Menu: *PHP → Templates → Functions → register_tick_function*

Keybinding: *none*

PHP Function: *register_tick_function*

`'php-template-unregister-tick-function'`

Menu: *PHP → Templates → Functions → unregister_tick_function*

Keybinding: *none*

PHP Function: *unregister_tick_function*

8.2.10 Image

`'php-template-gd-info'`

Menu: *PHP → Templates → Image → Image (gd_info → imagecolormatch) → gd_info*

Keybinding: *none*

PHP Function: *gd_info*

`'php-template-getimagesize'`

Menu: *PHP → Te01-Fu01-Image → Image → Image (gd_info → imagecolormatch) → getimagesize*

Keybinding: *none*

PHP Function: *getimagesize*

`'php-template-image-type-to-extension'`

Menu: *PHP → Te01-Fu01-Mail → Image → Image (gd_info → imagecolormatch) → image_type_to_extension*

Keybinding: *none*

PHP Function: *image_type_to_extension*

`'php-template-image-type-to-mime-type'`

Menu: *PHP → Te01-Fu01-Functions → Image → Image (gd_info → imagecolormatch) → image_type_to_mime_type*

Keybinding: *none*

PHP Function: *image_type_to_mime_type*

`'php-template-image2wbmp'`

Menu: *PHP → Te01-Functions → Image → Image (gd_info → imagecolormatch) → image2wbmp*

Keybinding: *none*

PHP Function: *image2wbmp*

`'php-template-imagealphablending'`

Menu: *PHP → Templates → Image → Image (gd_info → imagecolormatch) → imagealphablending*

Keybinding: *none*

PHP Function: *imagealphablending*

`'php-template-imageantialias'`

Menu: *PHP → Te01-Fu01-Image → Image → Image (gd_info → imagecolormatch) → imageantialias*

Keybinding: none
PHP Function: imageantialias

‘php-template-imagearc’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (gd_info → imagecolor-match) → imagearc*
Keybinding: none
PHP Function: imagearc

‘php-template-imagechar’

Menu: *PHP → Te01-Fu01-Functions → Image → Image (gd_info → imagecolormatch) → imagechar*
Keybinding: none
PHP Function: imagechar

‘php-template-imagecharup’

Menu: *PHP → Te01-Functions → Image → Image (gd_info → imagecolor-match) → imagecharup*
Keybinding: none
PHP Function: imagecharup

‘php-template-imagecolorallocate’

Menu: *PHP → Templates → Image → Image (gd_info → imagecolormatch) → imagecolorallocate*
Keybinding: none
PHP Function: imagecolorallocate

‘php-template-imagecolorallocatealpha’

Menu: *PHP → Te01-Fu01-Image → Image → Image (gd_info → imagecolor-match) → imagecolorallocatealpha*
Keybinding: none
PHP Function: imagecolorallocatealpha

‘php-template-imagecolorat’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (gd_info → imagecolor-match) → imagecolorat*
Keybinding: none
PHP Function: imagecolorat

‘php-template-imagecolorclosest’

Menu: *PHP → Te01-Fu01-Functions → Image → Image (gd_info → imagecolormatch) → imagecolorclosest*
Keybinding: none
PHP Function: imagecolorclosest

‘php-template-imagecolorclosestalpha’

Menu: *PHP → Te01-Functions → Image → Image (gd_info → imagecolor-match) → imagecolorclosestalpha*
Keybinding: none
PHP Function: imagecolorclosestalpha

'php-template-imagecolorclosesthwb'

Menu: *PHP -> Templates -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorclosesthwb*

Keybinding: *none*

PHP Function: *imagecolorclosesthwb*

'php-template-imagecolordeallocate'

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (gd_info -> imagecolormatch) -> imagecolordeallocate*

Keybinding: *none*

PHP Function: *imagecolordeallocate*

'php-template-imagecolorexact'

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorexact*

Keybinding: *none*

PHP Function: *imagecolorexact*

'php-template-imagecolorexactalpha'

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorexactalpha*

Keybinding: *none*

PHP Function: *imagecolorexactalpha*

'php-template-imagecolormatch'

Menu: *PHP -> Te01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> imagecolormatch*

Keybinding: *none*

PHP Function: *imagecolormatch*

'php-template-imagecolorresolve'

Menu: *PHP -> Templates -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorresolve*

Keybinding: *none*

PHP Function: *imagecolorresolve*

'php-template-imagecolorresolvealpha'

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorresolvealpha*

Keybinding: *none*

PHP Function: *imagecolorresolvealpha*

'php-template-imagecolorset'

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorset*

Keybinding: *none*

PHP Function: *imagecolorset*

'php-template-imagecolorsforindex'

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorsforindex*

Keybinding: none
PHP Function: imagecolorsforindex

‘php-template-imagecolorstotal’

Menu: *PHP → Te01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecolorstotal*
Keybinding: none
PHP Function: imagecolorstotal

‘php-template-imagecolortransparent’

Menu: *PHP → Templates → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecolortransparent*
Keybinding: none
PHP Function: imagecolortransparent

‘php-template-imageconvolution’

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagecolorresolve → imagecreatefromstring) → imageconvolution*
Keybinding: none
PHP Function: imageconvolution

‘php-template-imagecopy’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecopy*
Keybinding: none
PHP Function: imagecopy

‘php-template-imagecopymerge’

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecopymerge*
Keybinding: none
PHP Function: imagecopymerge

‘php-template-imagecopymergegray’

Menu: *PHP → Te01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecopymergegray*
Keybinding: none
PHP Function: imagecopymergegray

‘php-template-imagecopyresampled’

Menu: *PHP → Templates → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecopyresampled*
Keybinding: none
PHP Function: imagecopyresampled

‘php-template-imagecopyresized’

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecopyresized*
Keybinding: none
PHP Function: imagecopyresized

'php-template-imagecreate'

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreate*

Keybinding: *none*

PHP Function: *imagecreate*

'php-template-imagecreatefromgd2'

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgd2*

Keybinding: *none*

PHP Function: *imagecreatefromgd2*

'php-template-imagecreatefromgd2part'

Menu: *PHP → Te01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgd2part*

Keybinding: *none*

PHP Function: *imagecreatefromgd2part*

'php-template-imagecreatefromgd'

Menu: *PHP → Templates → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgd*

Keybinding: *none*

PHP Function: *imagecreatefromgd*

'php-template-imagecreatefromgif'

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgif*

Keybinding: *none*

PHP Function: *imagecreatefromgif*

'php-template-imagecreatefromjpeg'

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromjpeg*

Keybinding: *none*

PHP Function: *imagecreatefromjpeg*

'php-template-imagecreatefrompng'

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefrompng*

Keybinding: *none*

PHP Function: *imagecreatefrompng*

'php-template-imagecreatefromstring'

Menu: *PHP → Te01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromstring*

Keybinding: *none*

PHP Function: *imagecreatefromstring*

'php-template-imagecreatefromwbmp'

Menu: *PHP → Templates → Image → Image (imagecreatefromwbmp → imagegd2) → imagecreatefromwbmp*

Keybinding: none
PHP Function: imagecreatefromwbmp

'php-template-imagecreatefromxbm'

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagecreatefromxbm*
Keybinding: none
PHP Function: imagecreatefromxbm

'php-template-imagecreatefromxpm'

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagecreatefromxpm*
Keybinding: none
PHP Function: imagecreatefromxpm

'php-template-imagecreatetruecolor'

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagecreatetruecolor*
Keybinding: none
PHP Function: imagecreatetruecolor

'php-template-imagedashedline'

Menu: *PHP -> Te01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagedashedline*
Keybinding: none
PHP Function: imagedashedline

'php-template-imagedestroy'

Menu: *PHP -> Templates -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagedestroy*
Keybinding: none
PHP Function: imagedestroy

'php-template-imageellipse'

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imageellipse*
Keybinding: none
PHP Function: imageellipse

'php-template-imagefill'

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefill*
Keybinding: none
PHP Function: imagefill

'php-template-imagefilledarc'

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefilledarc*
Keybinding: none
PHP Function: imagefilledarc

'php-template-imagefilledellipse'

Menu: *PHP → Te01-Functions → Image → Image (imagecreatefromwbmp → imagegd2) → imagefilledellipse*

Keybinding: *none*

PHP Function: *imagefilledellipse*

'php-template-imagefilledpolygon'

Menu: *PHP → Templates → Image → Image (imagecreatefromwbmp → imagegd2) → imagefilledpolygon*

Keybinding: *none*

PHP Function: *imagefilledpolygon*

'php-template-imagefilledrectangle'

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagecreatefromwbmp → imagegd2) → imagefilledrectangle*

Keybinding: *none*

PHP Function: *imagefilledrectangle*

'php-template-imagefilltoborder'

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagecreatefromwbmp → imagegd2) → imagefilltoborder*

Keybinding: *none*

PHP Function: *imagefilltoborder*

'php-template-imagefilter'

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagecreatefromwbmp → imagegd2) → imagefilter*

Keybinding: *none*

PHP Function: *imagefilter*

'php-template-imagefontheight'

Menu: *PHP → Te01-Functions → Image → Image (imagecreatefromwbmp → imagegd2) → imagefontheight*

Keybinding: *none*

PHP Function: *imagefontheight*

'php-template-imagefontwidth'

Menu: *PHP → Templates → Image → Image (imagecreatefromwbmp → imagegd2) → imagefontwidth*

Keybinding: *none*

PHP Function: *imagefontwidth*

'php-template-imageftbbox'

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagecreatefromwbmp → imagegd2) → imageftbbox*

Keybinding: *none*

PHP Function: *imageftbbox*

'php-template-imagefttext'

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagecreatefromwbmp → imagegd2) → imagefttext*

Keybinding: none
PHP Function: imagefttext

‘php-template-imagegammacorrect’

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagecreatefromwbmp → imagegd2) → imagegammacorrect*
Keybinding: none
PHP Function: imagegammacorrect

‘php-template-imagegd2’

Menu: *PHP → Te01-Functions → Image → Image (imagecreatefromwbmp → imagegd2) → imagegd2*
Keybinding: none
PHP Function: imagegd2

‘php-template-imagegd’

Menu: *PHP → Templates → Image → Image (imagegd → imagerotate) → imagegd*
Keybinding: none
PHP Function: imagegd

‘php-template-imagegif’

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagegd → imagerotate) → imagegif*
Keybinding: none
PHP Function: imagegif

‘php-template-imageinterlace’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagegd → imagerotate) → imageinterlace*
Keybinding: none
PHP Function: imageinterlace

‘php-template-imageistruecolor’

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagegd → imagerotate) → imageistruecolor*
Keybinding: none
PHP Function: imageistruecolor

‘php-template-imagejpeg’

Menu: *PHP → Te01-Functions → Image → Image (imagegd → imagerotate) → imagejpeg*
Keybinding: none
PHP Function: imagejpeg

‘php-template-imagelayereffect’

Menu: *PHP → Templates → Image → Image (imagegd → imagerotate) → imagelayereffect*
Keybinding: none
PHP Function: imagelayereffect

'php-template-imageline'
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagegd -> imagerotate) -> imageline*
Keybinding: none
PHP Function: imageline

'php-template-imageloadfont'
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagegd -> imagerotate) -> imageloadfont*
Keybinding: none
PHP Function: imageloadfont

'php-template-imagepalettecopy'
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagepalettecopy*
Keybinding: none
PHP Function: imagepalettecopy

'php-template-imagepng'
Menu: *PHP -> Te01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagepng*
Keybinding: none
PHP Function: imagepng

'php-template-imagepolygon'
Menu: *PHP -> Templates -> Image -> Image (imagegd -> imagerotate) -> imagepolygon*
Keybinding: none
PHP Function: imagepolygon

'php-template-imagespsbbox'
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagegd -> imagerotate) -> imagespsbbox*
Keybinding: none
PHP Function: imagespsbbox

'php-template-imagespscodefont'
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagegd -> imagerotate) -> imagespscodefont*
Keybinding: none
PHP Function: imagespscodefont

'php-template-imagepsextendfont'
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagepsextendfont*
Keybinding: none
PHP Function: imagepsextendfont

'php-template-imagespsfreefont'
Menu: *PHP -> Te01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagespsfreefont*

Keybinding: none
PHP Function: imagepsfreefont

‘php-template-imagepsloadfont’

Menu: *PHP → Templates → Image → Image (imagegd → imagerotate) → imagepsloadfont*
Keybinding: none
PHP Function: imagepsloadfont

‘php-template-imagepsslantfont’

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagegd → imagerotate) → imagepsslantfont*
Keybinding: none
PHP Function: imagepsslantfont

‘php-template-imagepstext’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagegd → imagerotate) → imagepstext*
Keybinding: none
PHP Function: imagepstext

‘php-template-imagerectangle’

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagegd → imagerotate) → imagerectangle*
Keybinding: none
PHP Function: imagerectangle

‘php-template-imagerotate’

Menu: *PHP → Te01-Functions → Image → Image (imagegd → imagerotate) → imagerotate*
Keybinding: none
PHP Function: imagerotate

‘php-template-imagesavealpha’

Menu: *PHP → Templates → Image → Image (imagesavealpha → png2wbmp) → imagesavealpha*
Keybinding: none
PHP Function: imagesavealpha

‘php-template-imagesetbrush’

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagesavealpha → png2wbmp) → imagesetbrush*
Keybinding: none
PHP Function: imagesetbrush

‘php-template-imagesetpixel’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagesavealpha → png2wbmp) → imagesetpixel*
Keybinding: none
PHP Function: imagesetpixel

'php-template-imagesetstyle'
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagesetstyle*
Keybinding: none
PHP Function: imagesetstyle

'php-template-imagesetthickness'
Menu: *PHP -> Te01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagesetthickness*
Keybinding: none
PHP Function: imagesetthickness

'php-template-imagesettile'
Menu: *PHP -> Templates -> Image -> Image (imagesavealpha -> png2wbmp) -> imagesettile*
Keybinding: none
PHP Function: imagesettile

'php-template-imagestring'
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagesavealpha -> png2wbmp) -> imagestring*
Keybinding: none
PHP Function: imagestring

'php-template-imagestringup'
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagesavealpha -> png2wbmp) -> imagestringup*
Keybinding: none
PHP Function: imagestringup

'php-template-imagesx'
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagesx*
Keybinding: none
PHP Function: imagesx

'php-template-imagesy'
Menu: *PHP -> Te01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagesy*
Keybinding: none
PHP Function: imagesy

'php-template-imagetruecolortopalette'
Menu: *PHP -> Templates -> Image -> Image (imagesavealpha -> png2wbmp) -> imagetruecolortopalette*
Keybinding: none
PHP Function: imagetruecolortopalette

'php-template-imagettfbbox'
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagesavealpha -> png2wbmp) -> imagettfbbox*

Keybinding: none
PHP Function: imagettfbbox

'php-template-imagettftext'

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagesavealpha -> png2wbmp) -> imagettftext*
Keybinding: none
PHP Function: imagettftext

'php-template-imagetypes'

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagetypes*
Keybinding: none
PHP Function: imagetypes

'php-template-imagewbmp'

Menu: *PHP -> Te01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagewbmp*
Keybinding: none
PHP Function: imagewbmp

'php-template-imagexbm'

Menu: *PHP -> Templates -> Image -> Image (imagesavealpha -> png2wbmp) -> imagexbm*
Keybinding: none
PHP Function: imagexbm

'php-template-iptcembed'

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagesavealpha -> png2wbmp) -> iptcembed*
Keybinding: none
PHP Function: iptcembed

'php-template-iptcparse'

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagesavealpha -> png2wbmp) -> iptcparse*
Keybinding: none
PHP Function: iptcparse

'php-template-jpeg2wbmp'

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> jpeg2wbmp*
Keybinding: none
PHP Function: jpeg2wbmp

'php-template-png2wbmp'

Menu: *PHP -> Te01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> png2wbmp*
Keybinding: none
PHP Function: png2wbmp

8.2.11 Mail

`'php-template-ezmlm-hash'`

Menu: *PHP → Templates → Mail → ezmlm_hash*

Keybinding: *none*

PHP Function: *ezmlm_hash*

`'php-template-mail'`

Menu: *PHP → Templates → Mail → mail*

Keybinding: *none*

PHP Function: *mail*

8.2.12 Mathematical

`'php-template-abs'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → abs*

Keybinding: *none*

PHP Function: *abs*

`'php-template-acos'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → acos*

Keybinding: *none*

PHP Function: *acos*

`'php-template-acosh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → acosh*

Keybinding: *none*

PHP Function: *acosh*

`'php-template-asin'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → asin*

Keybinding: *none*

PHP Function: *asin*

`'php-template-asinh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → asinh*

Keybinding: *none*

PHP Function: *asinh*

`'php-template-atan2'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → atan2*

Keybinding: *none*

PHP Function: *atan2*

`'php-template-atan'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → atan*

Keybinding: none

PHP Function: atan

`'php-template-atanh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → atanh*

Keybinding: none

PHP Function: atanh

`'php-template-base-convert'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → base_convert*

Keybinding: none

PHP Function: base_convert

`'php-template-bindec'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → bindec*

Keybinding: none

PHP Function: bindec

`'php-template-ceil'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → ceil*

Keybinding: none

PHP Function: ceil

`'php-template-cos'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → cos*

Keybinding: none

PHP Function: cos

`'php-template-cosh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → cosh*

Keybinding: none

PHP Function: cosh

`'php-template-decbin'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → decbin*

Keybinding: none

PHP Function: decbin

`'php-template-dechex'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → dechex*

Keybinding: none
PHP Function: dechex

‘php-template-decoct’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → decoct*
Keybinding: none
PHP Function: decoct

‘php-template-deg2rad’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → deg2rad*
Keybinding: none
PHP Function: deg2rad

‘php-template-exp’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → exp*
Keybinding: none
PHP Function: exp

‘php-template-expm1’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → expm1*
Keybinding: none
PHP Function: expm1

‘php-template-floor’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → floor*
Keybinding: none
PHP Function: floor

‘php-template-fmod’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg) → fmod*
Keybinding: none
PHP Function: fmod

‘php-template-getrandmax’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg) → getrandmax*
Keybinding: none
PHP Function: getrandmax

‘php-template-hexdec’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg) → hexdec*
Keybinding: none
PHP Function: hexdec

'php-template-hypot'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *hypot*
Keybinding: *none*
PHP Function: *hypot*

'php-template-is-finite'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *is_finite*
Keybinding: *none*
PHP Function: *is_finite*

'php-template-is-infinite'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *is_infinite*
Keybinding: *none*
PHP Function: *is_infinite*

'php-template-is-nan'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *is_nan*
Keybinding: *none*
PHP Function: *is_nan*

'php-template-lcg-value'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *lcg_value*
Keybinding: *none*
PHP Function: *lcg_value*

'php-template-log10'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *log10*
Keybinding: *none*
PHP Function: *log10*

'php-template-log1p'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *log1p*
Keybinding: *none*
PHP Function: *log1p*

'php-template-log'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *log*
Keybinding: *none*
PHP Function: *log*

'php-template-max'
Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *max*

Keybinding: none
PHP Function: max

‘php-template-min’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *min*
Keybinding: none
PHP Function: min

‘php-template-mt-getrandmax’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *mt_getrandmax*
Keybinding: none
PHP Function: mt_getrandmax

‘php-template-mt-rand’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *mt_rand*
Keybinding: none
PHP Function: mt_rand

‘php-template-mt-srand’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *mt_srand*
Keybinding: none
PHP Function: mt_srand

‘php-template-octdec’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *octdec*
Keybinding: none
PHP Function: octdec

‘php-template-pi’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *pi*
Keybinding: none
PHP Function: pi

‘php-template-pow’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *pow*
Keybinding: none
PHP Function: pow

‘php-template-rad2deg’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg)*
→ *rad2deg*
Keybinding: none
PHP Function: rad2deg

`'php-template-rand'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> rand

Keybinding: *none*

PHP Function: *rand*

`'php-template-round'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> round

Keybinding: *none*

PHP Function: *round*

`'php-template-sin'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> sin

Keybinding: *none*

PHP Function: *sin*

`'php-template-sinh'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> sinh

Keybinding: *none*

PHP Function: *sinh*

`'php-template-sqrt'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> sqrt

Keybinding: *none*

PHP Function: *sqrt*

`'php-template-srand'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> srand

Keybinding: *none*

PHP Function: *srand*

`'php-template-tan'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> tan

Keybinding: *none*

PHP Function: *tan*

`'php-template-tanh'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> tanh

Keybinding: *none*

PHP Function: *tanh*

8.2.13 Miscellaneous

`'php-template-connection-aborted'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> connection_aborted*

Keybinding: none

PHP Function: connection_aborted

`'php-template-connection-status'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> connection_status*

Keybinding: none

PHP Function: connection_status

`'php-template-connection-timeout'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> connection_timeout*

Keybinding: none

PHP Function: connection_timeout

`'php-template-constant'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> constant*

Keybinding: none

PHP Function: constant

`'php-template-define'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> define*

Keybinding: none

PHP Function: define

`'php-template-defined'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> defined*

Keybinding: none

PHP Function: defined

`'php-template-die'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> die*

Keybinding: none

PHP Function: die

`'php-template-eval'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> eval*

Keybinding: none

PHP Function: eval

‘php-template-exit’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → exit*

Keybinding: *none*

PHP Function: *exit*

‘php-template-get-browser’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → get_browser*

Keybinding: *none*

PHP Function: *get_browser*

‘php-template-halt-compiler’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → --halt-compiler*

Keybinding: *none*

PHP Function: *--halt-compiler*

‘php-template-highlight-file’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → highlight_file*

Keybinding: *none*

PHP Function: *highlight_file*

‘php-template-highlight-string’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → highlight_string*

Keybinding: *none*

PHP Function: *highlight_string*

‘php-template-ignore-user-abort’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → ignore_user_abort*

Keybinding: *none*

PHP Function: *ignore_user_abort*

‘php-template-pack’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → pack*

Keybinding: *none*

PHP Function: *pack*

‘php-template-php-check-syntax’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → php_check_syntax*

Keybinding: *none*

PHP Function: *php_check_syntax*

‘php-template-php-strip-whitespace’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → php_strip_whitespace*

Keybinding: none
PHP Function: php_strip_whitespace

‘php-template-show-source’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → show_source*
Keybinding: none
PHP Function: show_source

‘php-template-sleep’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → sleep*
Keybinding: none
PHP Function: sleep

‘php-template-sys-getloadavg’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → sys_getloadavg*
Keybinding: none
PHP Function: sys_getloadavg

‘php-template-time-nanosleep’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → time_nanosleep*
Keybinding: none
PHP Function: time_nanosleep

‘php-template-time-sleep-until’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → time_sleep_until*
Keybinding: none
PHP Function: time_sleep_until

‘php-template-uniqid’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → uniqid*
Keybinding: none
PHP Function: uniqid

‘php-template-unpack’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → unpack*
Keybinding: none
PHP Function: unpack

‘php-template-usleep’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → usleep*
Keybinding: none
PHP Function: usleep

8.2.14 MySQL

‘php-template-mysql-affected-rows’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_affected_rows*

Keybinding: *none*

PHP Function: *mysql_affected_rows*

‘php-template-mysql-change-user’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_change_user*

Keybinding: *none*

PHP Function: *mysql_change_user*

‘php-template-mysql-client-encoding’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_client_encoding*

Keybinding: *none*

PHP Function: *mysql_client_encoding*

‘php-template-mysql-close’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_close*

Keybinding: *none*

PHP Function: *mysql_close*

‘php-template-mysql-connect’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_connect*

Keybinding: *none*

PHP Function: *mysql_connect*

‘php-template-mysql-create-db’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_create_db*

Keybinding: *none*

PHP Function: *mysql_create_db*

‘php-template-mysql-data-seek’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_data_seek*

Keybinding: *none*

PHP Function: *mysql_data_seek*

‘php-template-mysql-db-name’

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_db_name*

Keybinding: *none*

PHP Function: *mysql_db_name*

`'php-template-mysql-db-query'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_db_query*

Keybinding: *none*

PHP Function: *mysql_db_query*

`'php-template-mysql-drop-db'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_drop_db*

Keybinding: *none*

PHP Function: *mysql_drop_db*

`'php-template-mysql-errno'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_errno*

Keybinding: *none*

PHP Function: *mysql_errno*

`'php-template-mysql-error'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_error*

Keybinding: *none*

PHP Function: *mysql_error*

`'php-template-mysql-escape-string'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_escape_string*

Keybinding: *none*

PHP Function: *mysql_escape_string*

`'php-template-mysql-fetch-array'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_array*

Keybinding: *none*

PHP Function: *mysql_fetch_array*

`'php-template-mysql-fetch-assoc'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_assoc*

Keybinding: *none*

PHP Function: *mysql_fetch_assoc*

`'php-template-mysql-fetch-field'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_field*

Keybinding: *none*

PHP Function: *mysql_fetch_field*

`'php-template-mysql-fetch-lengths'`

Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_lengths*

Keybinding: none
PHP Function: mysql_fetch_lengths

'php-template-mysql-fetch-object'

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_fetch_object*
Keybinding: none
PHP Function: mysql_fetch_object

'php-template-mysql-fetch-row'

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_fetch_row*
Keybinding: none
PHP Function: mysql_fetch_row

'php-template-mysql-field-flags'

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_field_flags*
Keybinding: none
PHP Function: mysql_field_flags

'php-template-mysql-field-len'

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_len*
Keybinding: none
PHP Function: mysql_field_len

'php-template-mysql-field-name'

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_name*
Keybinding: none
PHP Function: mysql_field_name

'php-template-mysql-field-seek'

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_seek*
Keybinding: none
PHP Function: mysql_field_seek

'php-template-mysql-field-table'

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_table*
Keybinding: none
PHP Function: mysql_field_table

'php-template-mysql-field-type'

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_type*
Keybinding: none
PHP Function: mysql_field_type

'php-template-mysql-free-result'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_free_result*
Keybinding: *none*
PHP Function: *mysql_free_result*

'php-template-mysql-get-client-info'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_get_client_info*
Keybinding: *none*
PHP Function: *mysql_get_client_info*

'php-template-mysql-get-host-info'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_get_host_info*
Keybinding: *none*
PHP Function: *mysql_get_host_info*

'php-template-mysql-get-proto-info'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_get_proto_info*
Keybinding: *none*
PHP Function: *mysql_get_proto_info*

'php-template-mysql-get-server-info'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_get_server_info*
Keybinding: *none*
PHP Function: *mysql_get_server_info*

'php-template-mysql-info'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_info*
Keybinding: *none*
PHP Function: *mysql_info*

'php-template-mysql-insert-id'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_insert_id*
Keybinding: *none*
PHP Function: *mysql_insert_id*

'php-template-mysql-list-dbs'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_list_dbs*
Keybinding: *none*
PHP Function: *mysql_list_dbs*

'php-template-mysql-list-fields'
Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_list_fields*

Keybinding: *none*
PHP Function: *mysql_list_fields*

‘php-template-mysql-list-processes’

Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_list_processes*
Keybinding: *none*
PHP Function: *mysql_list_processes*

‘php-template-mysql-list-tables’

Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_list_tables*
Keybinding: *none*
PHP Function: *mysql_list_tables*

‘php-template-mysql-num-fields’

Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_num_fields*
Keybinding: *none*
PHP Function: *mysql_num_fields*

‘php-template-mysql-num-rows’

Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_num_rows*
Keybinding: *none*
PHP Function: *mysql_num_rows*

‘php-template-mysql-pconnect’

Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_pconnect*
Keybinding: *none*
PHP Function: *mysql_pconnect*

‘php-template-mysql-ping’

Menu: *PHP → Templates → MySQL → MySQL (Field_lan → Ping) → mysql_ping*
Keybinding: *none*
PHP Function: *mysql_ping*

‘php-template-mysql-query’

Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_query*
Keybinding: *none*
PHP Function: *mysql_query*

‘php-template-mysql-real-escape-string’

Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_real_escape_string*
Keybinding: *none*
PHP Function: *mysql_real_escape_string*

'php-template-mysql-result'

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_result*

Keybinding: *none*

PHP Function: *mysql_result*

'php-template-mysql-select-db'

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_select_db*

Keybinding: *none*

PHP Function: *mysql_select_db*

'php-template-mysql-stat'

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_stat*

Keybinding: *none*

PHP Function: *mysql_stat*

'php-template-mysql-tablename'

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_tablename*

Keybinding: *none*

PHP Function: *mysql_tablename*

'php-template-mysql-thread-id'

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_thread_id*

Keybinding: *none*

PHP Function: *mysql_thread_id*

'php-template-mysql-unbuffered-query'

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_unbuffered_query*

Keybinding: *none*

PHP Function: *mysql_unbuffered_query*

8.2.15 Others

'php-template-class'

Menu: *PHP -> Templates -> Others -> class*

Keybinding: *none*

PHP Function: *class*

'php-template-function'

Menu: *PHP -> Templates -> Others -> function*

Keybinding: *none*

PHP Function: *function*

8.2.16 Regular Expressions

'php-template-ereg-replace'

Menu: *PHP → Templates → Regular Expressions → ereg_replace*

Keybinding: *none*

PHP Function: *ereg_replace*

'php-template-ereg'

Menu: *PHP → Templates → Regular Expressions → ereg*

Keybinding: *none*

PHP Function: *ereg*

'php-template-eregi-replace'

Menu: *PHP → Templates → Regular Expressions → eregi_replace*

Keybinding: *none*

PHP Function: *eregi_replace*

'php-template-eregi'

Menu: *PHP → Templates → Regular Expressions → eregi*

Keybinding: *none*

PHP Function: *eregi*

'php-template-split'

Menu: *PHP → Templates → Regular Expressions → split*

Keybinding: *none*

PHP Function: *split*

'php-template-spliti'

Menu: *PHP → Templates → Regular Expressions → spliti*

Keybinding: *none*

PHP Function: *spliti*

'php-template-sql-regex'

Menu: *PHP → Templates → Regular Expressions → sql_regex*

Keybinding: *none*

PHP Function: *sql_regex*

8.2.17 Session

'php-template-session-cache-expire'

Menu: *PHP → Templates → Session → session_cache_expire*

Keybinding: *none*

PHP Function: *session_cache_expire*

'php-template-session-cache-limiter'

Menu: *PHP → Templates → Session → session_cache_limiter*

Keybinding: *none*

PHP Function: *session_cache_limiter*

'php-template-session-commit'
Menu: *PHP → Templates → Session → session_commit*
Keybinding: *none*
PHP Function: *session_commit*

'php-template-session-decode'
Menu: *PHP → Templates → Session → session_decode*
Keybinding: *none*
PHP Function: *session_decode*

'php-template-session-destroy'
Menu: *PHP → Templates → Session → session_destroy*
Keybinding: *none*
PHP Function: *session_destroy*

'php-template-session-encode'
Menu: *PHP → Templates → Session → session_encode*
Keybinding: *none*
PHP Function: *session_encode*

'php-template-session-get-cookie-params'
Menu: *PHP → Templates → Session → session_get_cookie_params*
Keybinding: *none*
PHP Function: *session_get_cookie_params*

'php-template-session-id'
Menu: *PHP → Templates → Session → session_id*
Keybinding: *none*
PHP Function: *session_id*

'php-template-session-is-registered'
Menu: *PHP → Templates → Session → session_is_registered*
Keybinding: *none*
PHP Function: *session_is_registered*

'php-template-session-module-name'
Menu: *PHP → Templates → Session → session_module_name*
Keybinding: *none*
PHP Function: *session_module_name*

'php-template-session-name'
Menu: *PHP → Templates → Session → session_name*
Keybinding: *none*
PHP Function: *session_name*

'php-template-session-regenerate-id'
Menu: *PHP → Templates → Session → session_regenerate_id*
Keybinding: *none*
PHP Function: *session_regenerate_id*

‘php-template-session-register’
Menu: *PHP → Templates → Session → session_register*
Keybinding: *none*
PHP Function: *session_register*

‘php-template-session-save-path’
Menu: *PHP → Templates → Session → session_save_path*
Keybinding: *none*
PHP Function: *session_save_path*

‘php-template-session-set-cookie-params’
Menu: *PHP → Templates → Session → session_set_cookie_params*
Keybinding: *none*
PHP Function: *session_set_cookie_params*

‘php-template-session-set-save-handler’
Menu: *PHP → Templates → Session → session_set_save_handler*
Keybinding: *none*
PHP Function: *session_set_save_handler*

‘php-template-session-start’
Menu: *PHP → Templates → Session → session_start*
Keybinding: *none*
PHP Function: *session_start*

‘php-template-session-unregister’
Menu: *PHP → Templates → Session → session_unregister*
Keybinding: *none*
PHP Function: *session_unregister*

‘php-template-session-unset’
Menu: *PHP → Templates → Session → session_unset*
Keybinding: *none*
PHP Function: *session_unset*

‘php-template-session-write-close’
Menu: *PHP → Templates → Session → session_write_close*
Keybinding: *none*
PHP Function: *session_write_close*

8.2.18 String

‘php-template-addcslashes’
Menu: *PHP → Templates → String → String (addcslashes → htmlentities) → addcslashes*
Keybinding: *none*
PHP Function: *addcslashes*

‘php-template-addslashes’
Menu: *PHP → Templates → String → String (addcslashes → htmlentities) → addslashes*

Keybinding: none
PHP Function: addslashes

‘php-template-bin2hex’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> bin2hex*
Keybinding: none
PHP Function: bin2hex

‘php-template-chop’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> chop*
Keybinding: none
PHP Function: chop

‘php-template-chr’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> chr*
Keybinding: none
PHP Function: chr

‘php-template-chunk-split’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> chunk_split*
Keybinding: none
PHP Function: chunk_split

‘php-template-convert-cyr-string’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> convert_cyr_string*
Keybinding: none
PHP Function: convert_cyr_string

‘php-template-convert-uunicode’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> convert_uunicode*
Keybinding: none
PHP Function: convert_uunicode

‘php-template-convert-uuencode’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> convert_uuencode*
Keybinding: none
PHP Function: convert_uuencode

‘php-template-count-chars’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> count_chars*
Keybinding: none
PHP Function: count_chars

`'php-template-crc32'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → crc32*
Keybinding: none
PHP Function: `crc32`

`'php-template-crypt'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → crypt*
Keybinding: none
PHP Function: `crypt`

`'php-template-echo'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → echo*
Keybinding: none
PHP Function: `echo`

`'php-template-explode'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → explode*
Keybinding: none
PHP Function: `explode`

`'php-template-fprintf'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → fprintf*
Keybinding: none
PHP Function: `fprintf`

`'php-template-get-html-translation-table'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → get_html_translation_table*
Keybinding: none
PHP Function: `get_html_translation_table`

`'php-template-hebrev'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → hebrev*
Keybinding: none
PHP Function: `hebrev`

`'php-template-hebrevc'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → hebrevc*
Keybinding: none
PHP Function: `hebrevc`

`'php-template-html-entity-decode'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → html_entity_decode*

Keybinding: none
PHP Function: html_entity_decode

‘php-template-htmlentities’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> htmlentities*
Keybinding: none
PHP Function: htmlentities

‘php-template-htmlspecialchars-decode’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> htmlspecialchars_decode*
Keybinding: none
PHP Function: htmlspecialchars_decode

‘php-template-htmlspecialchars’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> htmlspecialchars*
Keybinding: none
PHP Function: htmlspecialchars

‘php-template-implode’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> implode*
Keybinding: none
PHP Function: implode

‘php-template-join’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> join*
Keybinding: none
PHP Function: join

‘php-template-levenshtein’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> levenshtein*
Keybinding: none
PHP Function: levenshtein

‘php-template-localeconv’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> localeconv*
Keybinding: none
PHP Function: localeconv

‘php-template-ltrim’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> ltrim*
Keybinding: none
PHP Function: ltrim

`'php-template-md5-file'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> md5_file*

Keybinding: *none*

PHP Function: *md5_file*

`'php-template-md5'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> md5*

Keybinding: *none*

PHP Function: *md5*

`'php-template-metaphone'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> metaphone*

Keybinding: *none*

PHP Function: *metaphone*

`'php-template-money-format'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> money_format*

Keybinding: *none*

PHP Function: *money_format*

`'php-template-nl-langinfo'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> nl_langinfo*

Keybinding: *none*

PHP Function: *nl_langinfo*

`'php-template-nl2br'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> nl2br*

Keybinding: *none*

PHP Function: *nl2br*

`'php-template-number-format'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> number_format*

Keybinding: *none*

PHP Function: *number_format*

`'php-template-ord'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> ord*

Keybinding: *none*

PHP Function: *ord*

`'php-template-parse-str'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> parse_str*

Keybinding: none
PHP Function: parse_str

‘php-template-print’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> print*
Keybinding: none
PHP Function: print

‘php-template-printf’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> printf*
Keybinding: none
PHP Function: printf

‘php-template-quoted-printable-decode’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> quoted_printable_decode*
Keybinding: none
PHP Function: quoted_printable_decode

‘php-template-quotemeta’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> quotemeta*
Keybinding: none
PHP Function: quotemeta

‘php-template-rtrim’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> rtrim*
Keybinding: none
PHP Function: rtrim

‘php-template-setlocale’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> setlocale*
Keybinding: none
PHP Function: setlocale

‘php-template-sha1-file’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> sha1_file*
Keybinding: none
PHP Function: sha1_file

‘php-template-sha1’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> sha1*
Keybinding: none
PHP Function: sha1

‘php-template-similar-text’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> similar_text*
Keybinding: none
PHP Function: similar_text

`'php-template-soundex'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → soundex*
Keybinding: none
PHP Function: soundex

`'php-template-sprintf'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → sprintf*
Keybinding: none
PHP Function: sprintf

`'php-template-sscanf'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → sscanf*
Keybinding: none
PHP Function: sscanf

`'php-template-str-ireplace'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_ireplace*
Keybinding: none
PHP Function: str_ireplace

`'php-template-str-pad'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_pad*
Keybinding: none
PHP Function: str_pad

`'php-template-str-repeat'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_repeat*
Keybinding: none
PHP Function: str_repeat

`'php-template-str-replace'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_replace*
Keybinding: none
PHP Function: str_replace

`'php-template-str-rot13'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_rot13*
Keybinding: none
PHP Function: str_rot13

`'php-template-str-shuffle'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_shuffle*
Keybinding: none
PHP Function: str_shuffle

`'php-template-str-split'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_split*
Keybinding: none
PHP Function: str_split

`'php-template-str-word-count'`
Menu: *PHP → Templates → String → String (rtrim → strcoll) → str_word_count*

Keybinding: none
PHP Function: str_word_count

‘php-template-strcasecmp’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strcmp*
Keybinding: none
PHP Function: strcmp

‘php-template-strchr’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strchr*
Keybinding: none
PHP Function: strchr

‘php-template-strcmp’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strcmp*
Keybinding: none
PHP Function: strcmp

‘php-template-strcoll’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strcoll*
Keybinding: none
PHP Function: strcoll

‘php-template-strcspn’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strcspn*
Keybinding: none
PHP Function: strcspn

‘php-template-strip-tags’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strip_tags*
Keybinding: none
PHP Function: strip_tags

‘php-template-stripslashes’
Menu: *PHP → Templates → String → String (strcspn → strtok) → stripslashes*
Keybinding: none
PHP Function: stripslashes

‘php-template-stripos’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strpos*
Keybinding: none
PHP Function: strpos

‘php-template-stripslashes’
Menu: *PHP → Templates → String → String (strcspn → strtok) → stripslashes*
Keybinding: none
PHP Function: stripslashes

‘php-template-stristr’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strstr*
Keybinding: none
PHP Function: strstr

'php-template-strlen'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strlen*
Keybinding: *none*
PHP Function: *strlen*

'php-template-strnatcasecmp'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strnatcasecmp*
Keybinding: *none*
PHP Function: *strnatcasecmp*

'php-template-strnatcmp'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strnatcmp*
Keybinding: *none*
PHP Function: *strnatcmp*

'php-template-strncasecmp'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strncasecmp*
Keybinding: *none*
PHP Function: *strncasecmp*

'php-template-strncmp'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strncmp*
Keybinding: *none*
PHP Function: *strncmp*

'php-template-strpbrk'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strpbrk*
Keybinding: *none*
PHP Function: *strpbrk*

'php-template-strpos'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strpos*
Keybinding: *none*
PHP Function: *strpos*

'php-template-strrchr'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strrchr*
Keybinding: *none*
PHP Function: *strrchr*

'php-template-strrev'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strrev*
Keybinding: *none*
PHP Function: *strrev*

'php-template-stripos'
Menu: *PHP → Templates → String → String (strcspn → strtok) → stripos*
Keybinding: *none*
PHP Function: *stripos*

'php-template-strrpos'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strrpos*
Keybinding: none
PHP Function: strrpos

'php-template-strspn'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strspn*
Keybinding: none
PHP Function: strspn

'php-template-strstr'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strstr*
Keybinding: none
PHP Function: strstr

'php-template-strtok'
Menu: *PHP → Templates → String → String (strcspn → strtok) → strtok*
Keybinding: none
PHP Function: strtok

'php-template-strtolower'
Menu: *PHP → Templates → String → String (strtolower → wordwrap) → strtolower*
Keybinding: none
PHP Function: strtolower

'php-template-strtoupper'
Menu: *PHP → Templates → String → String (strtolower → wordwrap) → strtoupper*
Keybinding: none
PHP Function: strtoupper

'php-template-strtr'
Menu: *PHP → Templates → String → String (strtolower → wordwrap) → strtr*
Keybinding: none
PHP Function: strtr

'php-template-substr-compare'
Menu: *PHP → Templates → String → String (strtolower → wordwrap) → substr_compare*
Keybinding: none
PHP Function: substr_compare

'php-template-substr-count'
Menu: *PHP → Templates → String → String (strtolower → wordwrap) → substr_count*
Keybinding: none
PHP Function: substr_count

'php-template-substr-replace'
Menu: *PHP → Templates → String → String (strtolower → wordwrap) → substr_replace*

Keybinding: none
PHP Function: substr_replace

‘php-template-substr’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → substr*
Keybinding: none
PHP Function: substr

‘php-template-trim’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → trim*
Keybinding: none
PHP Function: trim

‘php-template-ucfirst’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → ucfirst*
Keybinding: none
PHP Function: ucfirst

‘php-template-ucwords’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → ucwords*
Keybinding: none
PHP Function: ucwords

‘php-template-vfprintf’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → fprintf*
Keybinding: none
PHP Function: fprintf

‘php-template-vprintf’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → printf*
Keybinding: none
PHP Function: printf

‘php-template-vsprintf’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → sprintf*
Keybinding: none
PHP Function: sprintf

‘php-template-wordwrap’

Menu: *PHP → Templates → String → String (strtolower → wordwrap) → wordwrap*
Keybinding: none
PHP Function: wordwrap

8.2.19 Variable

'php-template-debug-zval-dump'
Menu: *PHP → Templates → Variable → debug_zval_dump*
Keybinding: *none*
PHP Function: `debug_zval_dump`

'php-template-doubleval'
Menu: *PHP → Templates → Variable → doubleval*
Keybinding: *none*
PHP Function: `doubleval`

'php-template-empty'
Menu: *PHP → Templates → Variable → empty*
Keybinding: *none*
PHP Function: `empty`

'php-template-floatval'
Menu: *PHP → Templates → Variable → floatval*
Keybinding: *none*
PHP Function: `floatval`

'php-template-get-defined-vars'
Menu: *PHP → Templates → Variable → get_defined_vars*
Keybinding: *none*
PHP Function: `get_defined_vars`

'php-template-get-resource-type'
Menu: *PHP → Templates → Variable → get_resource_type*
Keybinding: *none*
PHP Function: `get_resource_type`

'php-template-gettype'
Menu: *PHP → Templates → Variable → gettype*
Keybinding: *none*
PHP Function: `gettype`

'php-template-import-request-variables'
Menu: *PHP → Templates → Variable → import_request_variables*
Keybinding: *none*
PHP Function: `import_request_variables`

'php-template-intval'
Menu: *PHP → Templates → Variable → intval*
Keybinding: *none*
PHP Function: `intval`

'php-template-is-array'
Menu: *PHP → Templates → Variable → is_array*
Keybinding: *none*
PHP Function: `is_array`

`'php-template-is-bool'`
Menu: *PHP → Templates → Variable → is_bool*
Keybinding: *none*
PHP Function: *is_bool*

`'php-template-is-callable'`
Menu: *PHP → Templates → Variable → is_callable*
Keybinding: *none*
PHP Function: *is_callable*

`'php-template-is-double'`
Menu: *PHP → Templates → Variable → is_double*
Keybinding: *none*
PHP Function: *is_double*

`'php-template-is-float'`
Menu: *PHP → Templates → Variable → is_float*
Keybinding: *none*
PHP Function: *is_float*

`'php-template-is-int'`
Menu: *PHP → Templates → Variable → is_int*
Keybinding: *none*
PHP Function: *is_int*

`'php-template-is-integer'`
Menu: *PHP → Templates → Variable → is_integer*
Keybinding: *none*
PHP Function: *is_integer*

`'php-template-is-long'`
Menu: *PHP → Templates → Variable → is_long*
Keybinding: *none*
PHP Function: *is_long*

`'php-template-is-null'`
Menu: *PHP → Templates → Variable → is_null*
Keybinding: *none*
PHP Function: *is_null*

`'php-template-is-numeric'`
Menu: *PHP → Templates → Variable → is_numeric*
Keybinding: *none*
PHP Function: *is_numeric*

`'php-template-is-object'`
Menu: *PHP → Templates → Variable → is_object*
Keybinding: *none*
PHP Function: *is_object*

`'php-template-is-real'`
Menu: *PHP → Templates → Variable → is_real*
Keybinding: *none*
PHP Function: *is_real*

`'php-template-is-resource'`
Menu: *PHP → Templates → Variable → is_resource*
Keybinding: *none*
PHP Function: *is_resource*

`'php-template-is-scalar'`
Menu: *PHP → Templates → Variable → is_scalar*
Keybinding: *none*
PHP Function: *is_scalar*

`'php-template-is-string'`
Menu: *PHP → Templates → Variable → is_string*
Keybinding: *none*
PHP Function: *is_string*

`'php-template-isset'`
Menu: *PHP → Templates → Variable → isset*
Keybinding: *none*
PHP Function: *isset*

`'php-template-print-r'`
Menu: *PHP → Templates → Variable → print_r*
Keybinding: *none*
PHP Function: *print_r*

`'php-template-serialize'`
Menu: *PHP → Templates → Variable → serialize*
Keybinding: *none*
PHP Function: *serialize*

`'php-template-settype'`
Menu: *PHP → Templates → Variable → settype*
Keybinding: *none*
PHP Function: *settype*

`'php-template-strval'`
Menu: *PHP → Templates → Variable → strval*
Keybinding: *none*
PHP Function: *strval*

`'php-template-unserialize'`
Menu: *PHP → Templates → Variable → unserialize*
Keybinding: *none*
PHP Function: *unserialize*

‘php-template-unset’
Menu: *PHP → Templates → Variable → unset*
Keybinding: *none*
PHP Function: *unset*

‘php-template-var-dump’
Menu: *PHP → Templates → Variable → var_dump*
Keybinding: *none*
PHP Function: *var_dump*

‘php-template-var-export’
Menu: *PHP → Templates → Variable → var_export*
Keybinding: *none*
PHP Function: *var_export*

8.2.20 XML

‘php-template-utf8-decode’
Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → utf8_decode*
Keybinding: *none*
PHP Function: *utf8_decode*

‘php-template-utf8-encode’
Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → utf8_encode*
Keybinding: *none*
PHP Function: *utf8_encode*

‘php-template-xml-error-string’
Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_error_string*
Keybinding: *none*
PHP Function: *xml_error_string*

‘php-template-xml-get-current-byte-index’
Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_get_current_byte_index*
Keybinding: *none*
PHP Function: *xml_get_current_byte_index*

‘php-template-xml-get-current-column-number’
Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_get_current_column_number*
Keybinding: *none*
PHP Function: *xml_get_current_column_number*

‘php-template-xml-get-current-line-number’
Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_get_current_line_number*

Keybinding: none

PHP Function: xml_get_current_line_number

'php-template-xml-get-error-code'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_get_error_code*

Keybinding: none

PHP Function: xml_get_error_code

'php-template-xml-parse-into-struct'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_parse_into_struct*

Keybinding: none

PHP Function: xml_parse_into_struct

'php-template-xml-parse'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_parse*

Keybinding: none

PHP Function: xml_parse

'php-template-xml-parser-create-ns'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_parser_create_ns*

Keybinding: none

PHP Function: xml_parser_create_ns

'php-template-xml-parser-create'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_parser_create*

Keybinding: none

PHP Function: xml_parser_create

'php-template-xml-parser-free'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_parser_free*

Keybinding: none

PHP Function: xml_parser_free

'php-template-xml-parser-get-option'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_parser_get_option*

Keybinding: none

PHP Function: xml_parser_get_option

'php-template-xml-parser-set-option'

Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_parser_set_option*

Keybinding: none

PHP Function: xml_parser_set_option

`'php-template-xml-set-character-data-handler'`

Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_set_character_data_handler*

Keybinding: *none*

PHP Function: `xml_set_character_data_handler`

`'php-template-xml-set-default-handler'`

Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_set_default_handler*

Keybinding: *none*

PHP Function: `xml_set_default_handler`

`'php-template-xml-set-element-handler'`

Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_set_element_handler*

Keybinding: *none*

PHP Function: `xml_set_element_handler`

`'php-template-xml-set-end-namespace-decl-handler'`

Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_set_end_namespace_decl_handler*

Keybinding: *none*

PHP Function: `xml_set_end_namespace_decl_handler`

`'php-template-xml-set-external-entity-ref-handler'`

Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_set_external_entity_ref_handler*

Keybinding: *none*

PHP Function: `xml_set_external_entity_ref_handler`

`'php-template-xml-set-notation-decl-handler'`

Menu: *PHP → Templates → XML → XML (utf8_decode → xml_set_notation_decl_handler) → xml_set_notation_decl_handler*

Keybinding: *none*

PHP Function: `xml_set_notation_decl_handler`

`'php-template-xml-set-object'`

Menu: *PHP → Templates → XML → XML (xml_set_object → xml_set_unparsed_entity_decl_handler) → xml_set_object*

Keybinding: *none*

PHP Function: `xml_set_object`

`'php-template-xml-set-processing-instruction-handler'`

Menu: *PHP → Templates → XML → XML (xml_set_object → xml_set_unparsed_entity_decl_handler) → xml_set_processing_instruction_handler*

Keybinding: *none*

PHP Function: `xml_set_processing_instruction_handler`

`'php-template-xml-set-start-namespace-decl-handler'`

Menu: *PHP → Templates → XML → XML (xml_set_object → xml_set_unparsed_entity_decl_handler) → xml_set_start_namespace_decl_handler*

Keybinding: *none*

PHP Function: `xml_set_start_namespace_decl_handler`

‘php-template-xml-set-unparsed-entity-decl-handler’

Menu: *PHP → Templates → XML → XML (xml_set_object → xml_set_unparsed_entity_decl_handler) → xml_set_unparsed_entity_decl_handler*

Keybinding: *none*

PHP Function: `xml_set_unparsed_entity_decl_handler`

8.2.21 Non-PHP Functions

‘php-template-header’

Menu: *PHP → Templates → Insert Header*

Keybinding: *none*

Description: This function is used to insert a header in the current buffer.

‘php-template-footer’

Menu: *PHP → Templates → Insert Footer*

Keybinding: *none*

Description: This function is used to insert a footer in the current buffer.

‘php-template-insert-date’

Menu: *PHP → Templates → Insert Date*

Keybinding: *none*

Description: This function is used to insert the date in the current buffer.

‘php-template-modify’

Menu: *PHP → Templates → Modify Date*

Keybinding: *none*

Description: This function is used to modify the last modification date in the current buffer.

9 Bugs, Help

- To report bugs: [Bugtracker](#)
- To obtain help you can post on the dedicated forum: [Forum](#)

Index

•
.NET 14

A

Apache 14
Array Functions 16

B

Bugs 87

C

Completion 11
Control Structures 24
Customization 9, 10, 11, 12, 13, 14

D

Date/Time Functions 26
Directory Functions 28

E

Error and Logging 29

F

File System 30
Functions 7, 9, 10, 12, 13, 14, 39

H

Header 5
Help 87

I

Image 40
Indentation 12

M

Mail 52
Mathematical 52
Menu 4, 9
Menu Index 9
Menu PHP 9
Menu Sources 10
Miscellaneous 7, 58
Mode 4, 8
MySQL 61

N

Non-PHP Functions 86

O

Others 66

P

Paramters 4
PHPDocumentor 7

R

Regular Expressions 67

S

Session 67
String 69
Stuttering 13
Style 7

T

Templates 5, 14

V

Variable 80

X

XML 83

Customizations variables Index

php-add-fclose-with-fopen	5	php-include-in-parenthesis	5
php-add-mysql-close-when-connect	5	php-indent-tabs-mode	4, 12
php-basic-offset	7, 12	php-index-menu	4, 9
php-class-tags	7	php-index-menu-auto-rescan	4, 9
php-compay-name	6	php-intelligent-tab	7, 11
php-copyright-string	6	php-modify-date-on-saving	6
php-date-format	6	php-modify-date-prefix-string	6
php-electric-mode	4, 14	php-source-file-menu	5, 10
php-enable-phpdocumentor-tags	7	php-stutter-mode	4, 13
php-file-footer	6	php-word-completion-case-sensitive	7, 11
php-file-header	5	php-word-completion-in-minibuffer	7, 11
php-function-tags	7		

Functions Index

I

indent-according-to-mode 12

P

php-add-source-files-menu 10
 php-doc-mode 9
 php-electric-mode 8
 php-indent-buffer 12
 php-indent-region 12
 php-show-messages 9
 php-stutter-mode 8
 php-template-abs 52
 php-template-acos 52
 php-template-acosh 52
 php-template-addcslashes 69
 php-template-addslashes 69
 php-template-apache-child-terminate 14
 php-template-apache-get-modules 14
 php-template-apache-get-version 14
 php-template-apache-getenv 14
 php-template-apache-lookup-uri 15
 php-template-apache-note 15
 php-template-apache-request-headers 15
 php-template-apache-reset-timeout 15
 php-template-apache-response-headers 15
 php-template-apache-setenv 15
 php-template-array 21
 php-template-array-change-key-case 16
 php-template-array-chunk 16
 php-template-array-combine 16
 php-template-array-count-values 16
 php-template-array-diff 17
 php-template-array-diff-assoc 16
 php-template-array-diff-key 16
 php-template-array-diff-uassoc 16
 php-template-array-diff-ukey 16
 php-template-array-exists 18
 php-template-array-fill 17
 php-template-array-filter 17
 php-template-array-flip 17
 php-template-array-intersect 18
 php-template-array-intersect-assoc 17
 php-template-array-intersect-key 17
 php-template-array-intersect-uassoc 17
 php-template-array-intersect-ukey 17
 php-template-array-keys 18
 php-template-array-map 18
 php-template-array-merge 18
 php-template-array-merge-recursive 18
 php-template-array-multisort 18
 php-template-array-pad 18
 php-template-array-pop 18
 php-template-array-product 19

php-template-array-push 19
 php-template-array-rand 19
 php-template-array-reduce 19
 php-template-array-reverse 19
 php-template-array-search 19
 php-template-array-shift 19
 php-template-array-slice 19
 php-template-array-splice 20
 php-template-array-sum 20
 php-template-array-udiff 20
 php-template-array-udiff-assoc 20
 php-template-array-udiff-uassoc 20
 php-template-array-uintersect 20
 php-template-array-uintersect-assoc 20
 php-template-array-uintersect-uassoc 20
 php-template-array-unique 20
 php-template-array-unshift 21
 php-template-array-values 21
 php-template-array-walk 21
 php-template-array-walk-recursive 21
 php-template-arsort 21
 php-template-ascii2ebcdic 15
 php-template-asin 52
 php-template-asinh 52
 php-template-asort 21
 php-template-atan 52
 php-template-atan2 52
 php-template-atanh 53
 php-template-base-convert 53
 php-template-basename 30
 php-template-bin2hex 70
 php-template-bindec 53
 php-template-break 24
 php-template-call-user-func 39
 php-template-call-user-func-array 39
 php-template-ceil 53
 php-template-chdir 28
 php-template-checkdate 26
 php-template-chgrp 30
 php-template-chmod 30
 php-template-chop 70
 php-template-chown 30
 php-template-chr 70
 php-template-chroot 28
 php-template-chunk-split 70
 php-template-class 66
 php-template-clearstatcache 30
 php-template-closedir 28
 php-template-compact 21
 php-template-connection-aborted 58
 php-template-connection-status 58
 php-template-connection-timeout 58
 php-template-constant 58
 php-template-continue 24
 php-template-convert-cyr-string 70

php-template-convert-uudecode	70	php-template-fgetc	31
php-template-convert-uencode	70	php-template-fgetcsv	32
php-template-copy	30	php-template-fgets	32
php-template-cos	53	php-template-fgetss	32
php-template-cosh	53	php-template-file	32
php-template-count	22	php-template-file-exists	32
php-template-count-chars	70	php-template-file-get-contents	32
php-template-crc32	70	php-template-file-put-contents	32
php-template-create-function	39	php-template-fileatime	32
php-template-crypt	71	php-template-filectime	33
php-template-current	22	php-template-filegroup	33
php-template-date	26	php-template-fileinode	33
php-template-date-default-timezone-get ..	26	php-template-filemtime	33
php-template-date-default-timezone-set ..	26	php-template-fileowner	33
php-template-date-sunrise	26	php-template-fileperms	33
php-template-date-sunset	26	php-template-filesize	33
php-template-debug-backtrace	29	php-template-filetype	33
php-template-debug-print-backtrace	29	php-template-floatval	80
php-template-debug-zval-dump	80	php-template-flock	33
php-template-decbin	53	php-template-floor	54
php-template-dechex	53	php-template-fmod	54
php-template-decoct	54	php-template-fnmatch	34
php-template-define	58	php-template-footer	86
php-template-defined	58	php-template-fopen	34
php-template-deg2rad	54	php-template-for	25
php-template-delete	31	php-template-foreach	25
php-template-die	58	php-template-fpassthru	34
php-template-dir	28	php-template-fprintf	71
php-template-dirname	31	php-template-fputcsv	34
php-template-disk-free-space	31	php-template-fread	34
php-template-disk-total-space	31	php-template-fseek	34
php-template-diskfreespace	31	php-template-fstat	34
php-template-do-while	25	php-template-ftell	35
php-template-dotnet-load	14	php-template-ftruncate	35
php-template-doubleval	80	php-template-func-get-arg	39
php-template-each	22	php-template-func-get-args	39
php-template-ebcdic2ascii	15	php-template-func-num-args	39
php-template-echo	71	php-template-function	66
php-template-else	25	php-template-function-exists	39
php-template-elseif	25	php-template-fwrite	34
php-template-empty	80	php-template-fwrite	35
php-template-end	22	php-template-gd-info	40
php-template-ereg	67	php-template-get-browser	59
php-template-ereg-replace	67	php-template-get-defined-functions	39
php-template-eregi	67	php-template-get-defined-vars	80
php-template-eregi-replace	67	php-template-get-html-translation-table ..	71
php-template-error-log	29	php-template-get-resource-type	80
php-template-error-reporting	29	php-template-getallheaders	15
php-template-eval	58	php-template-getcwd	28
php-template-exit	58	php-template-getdate	27
php-template-exp	54	php-template-getimagesize	40
php-template-explode	71	php-template-getrandmax	54
php-template-expm1	54	php-template-gettimeofday	27
php-template-extract	22	php-template-gettype	80
php-template-ezmlm-hash	52	php-template-glob	35
php-template-fclose	31	php-template-gmtime	27
php-template-feof	31	php-template-gmmktime	27
php-template-fflush	31	php-template-gmstrftime	27

php-template-halt-compiler	59	php-template-imagedestroy	45
php-template-header	86	php-template-imageellipse	45
php-template-hebrev	71	php-template-imagefill	45
php-template-hebrevc	71	php-template-imagefilledarc	45
php-template-hexdec	54	php-template-imagefilledellipse	45
php-template-highlight-file	59	php-template-imagefilledpolygon	46
php-template-highlight-string	59	php-template-imagefilledrectangle	46
php-template-html-entity-decode	71	php-template-imagefilltoborder	46
php-template-htmlentities	72	php-template-imagefilter	46
php-template-htmlespecialchars	72	php-template-imagefontheight	46
php-template-htmlespecialchars-decode	72	php-template-imagefontwidth	46
php-template-hypot	54	php-template-imageftbbox	46
php-template-idate	27	php-template-imagefttext	46
php-template-if	25	php-template-imagegammacorrect	47
php-template-ignore-user-abort	59	php-template-imagegd	47
php-template-image-type-to-extension	40	php-template-imagegd2	47
php-template-image-type-to-mime-type	40	php-template-imagegif	47
php-template-image2wbmp	40	php-template-imageinterlace	47
php-template-imagealphablending	40	php-template-imageistruecolor	47
php-template-imageantialias	40	php-template-imagejpeg	47
php-template-imagearc	41	php-template-imagelayereffect	47
php-template-imagechar	41	php-template-imageline	47
php-template-imagecharup	41	php-template-imageloadfont	48
php-template-imagecolorallocate	41	php-template-imagepalettecopy	48
php-template-imagecolorallocatealpha	41	php-template-imagepng	48
php-template-imagecolorat	41	php-template-imagepolygon	48
php-template-imagecolorclosest	41	php-template-imagespsbbox	48
php-template-imagecolorclosestalpha	41	php-template-imagespsencodefont	48
php-template-imagecolorclosesthwb	41	php-template-imagespsextendfont	48
php-template-imagecolordeallocate	42	php-template-imagespsfreefont	48
php-template-imagecolorexact	42	php-template-imagespsloadfont	49
php-template-imagecolorexactalpha	42	php-template-imagespslantfont	49
php-template-imagecolormatch	42	php-template-imagepstext	49
php-template-imagecolorresolve	42	php-template-imagerectangle	49
php-template-imagecolorresolvealpha	42	php-template-imagerotate	49
php-template-imagecolorset	42	php-template-imagesavealpha	49
php-template-imagecolorsforindex	42	php-template-imagesetbrush	49
php-template-imagecolorstotal	43	php-template-imagesetpixel	49
php-template-imagecolortransparent	43	php-template-imagesetstyle	49
php-template-imageconvolution	43	php-template-imagesetthickness	50
php-template-imagecopy	43	php-template-imagesettile	50
php-template-imagecopymerge	43	php-template-imagestring	50
php-template-imagecopymergegray	43	php-template-imagestringup	50
php-template-imagecopyresampled	43	php-template-imagesx	50
php-template-imagecopyresized	43	php-template-imagesy	50
php-template-imagecreate	43	php-template-imagetruecolortopalette	50
php-template-imagecreatefromgd	44	php-template-imagettfbbox	50
php-template-imagecreatefromgd2	44	php-template-imagettfbtext	51
php-template-imagecreatefromgd2part	44	php-template-imagetypes	51
php-template-imagecreatefromgif	44	php-template-imagewbmp	51
php-template-imagecreatefromjpeg	44	php-template-imagexbm	51
php-template-imagecreatefrompng	44	php-template-implode	72
php-template-imagecreatefromstring	44	php-template-import-request-variables	80
php-template-imagecreatefromwbmp	44	php-template-in-array	22
php-template-imagecreatefromxbm	45	php-template-include	25
php-template-imagecreatefromxpm	45	php-template-include-once	25
php-template-imagecreatetruecolor	45	php-template-insert-date	86
php-template-imagedashedline	45	php-template-intval	80

php-template-iptcembed	51	php-template-mt-rand	56
php-template-iptcparse	51	php-template-mt-srand	56
php-template-is-array	80	php-template-mysql-affected-rows	61
php-template-is-bool	80	php-template-mysql-change-user	61
php-template-is-callable	81	php-template-mysql-client-encoding	61
php-template-is-dir	35	php-template-mysql-close	61
php-template-is-double	81	php-template-mysql-connect	61
php-template-is-executable	35	php-template-mysql-create-db	61
php-template-is-file	35	php-template-mysql-data-seek	61
php-template-is-finite	55	php-template-mysql-db-name	61
php-template-is-float	81	php-template-mysql-db-query	61
php-template-is-infinite	55	php-template-mysql-drop-db	62
php-template-is-int	81	php-template-mysql-errno	62
php-template-is-integer	81	php-template-mysql-error	62
php-template-is-link	35	php-template-mysql-escape-string	62
php-template-is-long	81	php-template-mysql-fetch-array	62
php-template-is-nan	55	php-template-mysql-fetch-assoc	62
php-template-is-null	81	php-template-mysql-fetch-field	62
php-template-is-numeric	81	php-template-mysql-fetch-lengths	62
php-template-is-object	81	php-template-mysql-fetch-object	63
php-template-is-readable	35	php-template-mysql-fetch-row	63
php-template-is-real	81	php-template-mysql-field-flags	63
php-template-is-resource	82	php-template-mysql-field-len	63
php-template-is-scalar	82	php-template-mysql-field-name	63
php-template-is-string	82	php-template-mysql-field-seek	63
php-template-is-uploaded-file	36	php-template-mysql-field-table	63
php-template-is-writable	36	php-template-mysql-field-type	63
php-template-isset	82	php-template-mysql-free-result	63
php-template-join	72	php-template-mysql-get-client-info	64
php-template-jpeg2wbmp	51	php-template-mysql-get-host-info	64
php-template-key	22	php-template-mysql-get-proto-info	64
php-template-krsort	22	php-template-mysql-get-server-info	64
php-template-ksort	22	php-template-mysql-info	64
php-template-lcg-value	55	php-template-mysql-insert-id	64
php-template-levenshtein	72	php-template-mysql-list-dbs	64
php-template-link	36	php-template-mysql-list-fields	64
php-template-linkinfo	36	php-template-mysql-list-processes	65
php-template-list	23	php-template-mysql-list-tables	65
php-template-localeconv	72	php-template-mysql-num-fields	65
php-template-localtime	27	php-template-mysql-num-rows	65
php-template-log	55	php-template-mysql-pconnect	65
php-template-log10	55	php-template-mysql-ping	65
php-template-logip	55	php-template-mysql-query	65
php-template-lstat	36	php-template-mysql-real-escape-string	65
php-template-ltrim	72	php-template-mysql-result	65
php-template-mail	52	php-template-mysql-select-db	66
php-template-max	55	php-template-mysql-stat	66
php-template-md5	73	php-template-mysql-tablename	66
php-template-md5-file	72	php-template-mysql-thread-id	66
php-template-metaphone	73	php-template-mysql-unbuffered-query	66
php-template-microtime	27	php-template-natcasesort	23
php-template-min	56	php-template-natsort	23
php-template-mkdir	36	php-template-next	23
php-template-mktime	27	php-template-nl-langinfo	73
php-template-modify	86	php-template-nl2br	73
php-template-money-format	73	php-template-number-format	73
php-template-move-uploaded-file	36	php-template-octdec	56
php-template-mt-getrandmax	56	php-template-openssl	28

php-template-ord	73	php-template-session-set-save-handler	69
php-template-pack	59	php-template-session-start	69
php-template-parse-ini-file	37	php-template-session-unregister	69
php-template-parse-str	73	php-template-session-unset	69
php-template-pathinfo	37	php-template-session-write-close	69
php-template-pclose	37	php-template-set-error-handler	29
php-template-php-check-syntax	59	php-template-set-exception-handler	29
php-template-php-strip-whitespace	59	php-template-setlocale	74
php-template-pi	56	php-template-settype	82
php-template-png2wbmp	51	php-template-sha1	74
php-template-popen	37	php-template-sha1-file	74
php-template-pos	23	php-template-show-source	60
php-template-pow	56	php-template-shuffle	24
php-template-prev	23	php-template-similar-text	74
php-template-print	74	php-template-sin	57
php-template-print-r	82	php-template-sinh	57
php-template-printf	74	php-template-sizeof	24
php-template-quoted-printable-decode	74	php-template-sleep	60
php-template-quotemeta	74	php-template-sort	24
php-template-rad2deg	56	php-template-soundex	74
php-template-rand	56	php-template-split	67
php-template-range	23	php-template-spliti	67
php-template-readdir	28	php-template-sprintf	75
php-template-readfile	37	php-template-sql-regex	67
php-template-readlink	37	php-template-sqrt	57
php-template-realpath	37	php-template-srand	57
php-template-register-shutdown-function ..	39	php-template-sscanf	75
php-template-register-tick-function	39	php-template-stat	38
php-template-rename	37	php-template-str-ireplace	75
php-template-require	25	php-template-str-pad	75
php-template-require-once	25	php-template-str-repeat	75
php-template-reset	23	php-template-str-replace	75
php-template-restore-error-handler	29	php-template-str-rot13	75
php-template-restore-exception-handler ..	29	php-template-str-shuffle	75
php-template-return	26	php-template-str-split	75
php-template-rewind	37	php-template-str-word-count	75
php-template-rewinddir	29	php-template-strcasecmp	76
php-template-rmdir	38	php-template-strchr	76
php-template-round	57	php-template-strcmp	76
php-template-rsort	24	php-template-strcoll	76
php-template-rtrim	74	php-template-strcspn	76
php-template-scandir	29	php-template-strftime	27
php-template-serialize	82	php-template-strip-tags	76
php-template-session-cache-expire	67	php-template-stripslashes	76
php-template-session-cache-limiter	67	php-template-stripslashes	76
php-template-session-commit	67	php-template-stristr	76
php-template-session-decode	68	php-template-strlen	76
php-template-session-destroy	68	php-template-strnatcasecmp	77
php-template-session-encode	68	php-template-strnatcmp	77
php-template-session-get-cookie-params ...	68	php-template-strncasecmp	77
php-template-session-id	68	php-template-strncmp	77
php-template-session-is-registered	68	php-template-strpbrk	77
php-template-session-module-name	68	php-template-strpos	77
php-template-session-name	68	php-template-strptime	28
php-template-session-regenerate-id	68	php-template-strrchr	77
php-template-session-register	68	php-template-strrev	77
php-template-session-save-path	69	php-template-strripos	77
php-template-session-set-cookie-params ...	69		

php-template-strrpos	77	php-template-utf8-encode	83
php-template-strspn	78	php-template-var-dump	83
php-template-strstr	78	php-template-var-export	83
php-template-strtok	78	php-template-vfprintf	79
php-template-strtolower	78	php-template-virtual	15
php-template-strtotime	28	php-template-vprintf	79
php-template-strtoupper	78	php-template-vsprintf	79
php-template-strtr	78	php-template-while	26
php-template-strval	82	php-template-wordwrap	79
php-template-substr	79	php-template-xml-error-string	83
php-template-substr-compare	78	php-template-xml-get-current-byte-index ..	83
php-template-substr-count	78	php-template-xml-get-current-column-number	
php-template-substr-replace	78	83
php-template-switch	26	php-template-xml-get-current-line-number	
php-template-symlink	38	83
php-template-sys-getloadavg	60	php-template-xml-get-error-code	84
php-template-tan	57	php-template-xml-parse	84
php-template-tanh	57	php-template-xml-parse-into-struct	84
php-template-tempnam	38	php-template-xml-parser-create	84
php-template-time	28	php-template-xml-parser-create-ns	84
php-template-time-nanosleep	60	php-template-xml-parser-free	84
php-template-time-sleep-until	60	php-template-xml-parser-get-option	84
php-template-tmpfile	38	php-template-xml-parser-set-option	84
php-template-touch	38	php-template-xml-set-character-data-handler	
php-template-trigger-error	30	84
php-template-trim	79	php-template-xml-set-default-handler	85
php-template-uasort	24	php-template-xml-set-element-handler	85
php-template-ucfirst	79	php-template-xml-set-end-namespace-decl-	
php-template-ucwords	79	handler	85
php-template-uksort	24	php-template-xml-set-external-entity-ref-	
php-template-umask	38	handler	85
php-template-uniqid	60	php-template-xml-set-notation-decl-handler	
php-template-unlink	38	85
php-template-unpack	60	php-template-xml-set-object	85
php-template-unregister-tick-function	40	php-template-xml-set-processing-	
php-template-unserialize	82	instruction-handler	85
php-template-unset	82	php-template-xml-set-start-namespace-decl-	
php-template-user-error	30	handler	85
php-template-usleep	60	php-template-xml-set-unparsed-entity-decl-	
php-template-usort	24	handler	86
php-template-utf8-decode	83	php-version	9

Stuttering Index

(;	13
(.....	}	
)	}	13
).....		13
*	E	
*.....	<i>ENTER</i>	13
	S	
;	<i>SPACE</i>	13

PHP Index

-
 __halt_compiler 59

A

abs 52
 acos 52
 acosh 52
 addslashes 69
 addslashes 69
 apache_child_terminate 14
 apache_get_modules 14
 apache_get_version 14
 apache_getenv 14
 apache_lookup_uri 15
 apache_note 15
 apache_request_headers 15
 apache_reset_timeout 15
 apache_response_headers 15
 apache_setenv 15
 array 21
 array_change_key_case 16
 array_chunk 16
 array_combine 16
 array_count_values 16
 array_diff 17
 array_diff_assoc 16
 array_diff_key 16
 array_diff_uassoc 16
 array_diff_ukey 16
 array_fill 17
 array_filter 17
 array_flip 17
 array_intersect 18
 array_intersect_assoc 17
 array_intersect_key 17
 array_intersect_uassoc 17
 array_intersect_ukey 17
 array_key_exists 18
 array_keys 18
 array_map 18
 array_merge 18
 array_merge_recursive 18
 array_multisort 18
 array_pad 18
 array_pop 18
 array_product 19
 array_push 19
 array_rand 19
 array_reduce 19
 array_reverse 19
 array_search 19
 array_shift 19
 array_slice 19

array_splice 20
 array_sum 20
 array_udiff 20
 array_udiff_assoc 20
 array_udiff_uassoc 20
 array_uintersect 20
 array_uintersect_assoc 20
 array_uintersect_uassoc 20
 array_unique 20
 array_unshift 21
 array_values 21
 array_walk 21
 array_walk_recursive 21
 arsort 21
 ascii2ebcdic 15
 asin 52
 asinh 52
 asort 21
 atan 52
 atan2 52
 atanh 53

B

base_convert 53
 basename 30
 bin2hex 70
 bindec 53
 break 24

C

call_user_func 39
 call_user_func_array 39
 ceil 53
 chdir 28
 checkdate 26
 chgrp 30
 chmod 30
 chop 70
 chown 30
 chr 70
 chroot 28
 chunk_split 70
 class 66
 clearstatcache 30
 closedir 28
 compact 21
 connection_aborted 58
 connection_status 58
 connection_timeout 58
 constant 58
 continue 24
 convert_cyr_string 70
 convert_uudecode 70

convert_uuencode	70
copy	30
cos	53
cosh	53
count	22
count_chars	70
crc32	70
create_function	39
crypt	71
current	22

D

date	26
date_default_timezone_get	26
date_default_timezone_set	26
date_sunrise	26
date_sunset	26
debug_backtrace	29
debug_print_backtrace	29
debug_zval_dump	80
decbin	53
dechex	53
decoct	54
define	58
defined	58
deg2rad	54
delete	31
die	58
dir	28
dirname	31
disk_free_space	31
disk_total_space	31
diskfreespace	31
do-while	25
dotnet_load	14
doubleval	80

E

each	22
ebcdic2ascii	15
echo	71
else	25
elseif	25
empty	80
end	22
ereg	67
ereg_replace	67
ereg_i	67
ereg_i_replace	67
error_log	29
error_reporting	29
eval	58
exit	58
exp	54
explode	71
expm1	54

extract	22
ezmlm_hash	52

F

fclose	31
feof	31
fflush	31
fgetc	31
fgetcsv	32
fgets	32
fgetss	32
file	32
file_exists	32
file_get_contents	32
file_put_contents	32
fileatime	32
filectime	33
filegroup	33
fileinode	33
filemtime	33
fileowner	33
fileperms	33
filesize	33
filetype	33
floatval	80
flock	33
floor	54
fmod	54
fnmatch	34
fopen	34
for	25
foreach	25
fpassthru	34
fprintf	71
fputcsv	34
fputs	34
fread	34
fseek	34
fstat	34
ftell	35
ftruncate	35
func_get_arg	39
func_get_args	39
func_num_args	39
function	66
function_exists	39
fwrite	35

G

gd_info	40
get_browser	59
get_defined_functions	39
get_defined_vars	80
get_html_translation_table	71
get_resource_type	80
getallheaders	15
getcwd	28
getdate	27
getimagesize	40
getrandmax	54
gettimeofday	27
gettype	80
glob	35
gmdate	27
gmmktime	27
gmstrftime	27

H

hebrew	71
hebrevc	71
hexdec	54
highlight_file	59
highlight_string	59
html_entity_decode	71
htmlentities	72
htmlspecialchars	72
htmlspecialchars_decode	72
hypot	54

I

idate	27
if	25
ignore_user_abort	59
image_type_to_extension	40
image_type_to_mime_type	40
image2wbmp	40
imagealphablending	40
imageantialias	40
imagearc	41
imagechar	41
imagecharup	41
imagecolorallocate	41
imagecolorallocatealpha	41
imagecolorat	41
imagecolorclosest	41
imagecolorclosestalpha	41
imagecolorclosestthwb	41
imagecolordeallocate	42
imagecolorexact	42
imagecolorexactalpha	42
imagecolormatch	42
imagecolorresolve	42
imagecolorresolvealpha	42
imagecolorset	42

imagecolorsforindex	42
imagecolorstotal	43
imagecolortransparent	43
imageconvolution	43
imagecopy	43
imagecopymerge	43
imagecopymergegray	43
imagecopyresampled	43
imagecopyresized	43
imagecreate	43
imagecreatefromgd	44
imagecreatefromgd2	44
imagecreatefromgd2part	44
imagecreatefromgif	44
imagecreatefromjpeg	44
imagecreatefrompng	44
imagecreatefromstring	44
imagecreatefromwbmp	44
imagecreatefromxbm	45
imagecreatefromxpm	45
imagecreatetruecolor	45
imagedashedline	45
imagedestroy	45
imageellipse	45
imagefill	45
imagefilledarc	45
imagefilledellipse	45
imagefilledpolygon	46
imagefilledrectangle	46
imagefilltoborder	46
imagefilter	46
imagefontheight	46
imagefontwidth	46
imageftbbox	46
imagefttext	46
imagegammacorrect	47
imagegd	47
imagegd2	47
imagegif	47
imageinterlace	47
imageistruecolor	47
imagejpeg	47
imagelayereffect	47
imageline	47
imageloadfont	48
imagepalettecopy	48
imagepng	48
imagepolygon	48
imagepsbbox	48
imagepsencodefont	48
imagepsextendfont	48
imagepsfreefont	48
imagepsloadfont	49
imagepslancfont	49
imagepstext	49
imagerectangle	49
imagerotate	49
imagesavealpha	49

imagebrush	49
imagepixel	49
imagestyle	49
imagethickness	50
imagetile	50
imagestring	50
imagestringup	50
imagesx	50
imagesy	50
imagetruecolortopalette	50
imageutfbbox	50
imageutftext	51
imagetypes	51
imagewbmp	51
imagexbm	51
implode	72
import_request_variables	80
in_array	22
include	25
include_once	25
intval	80
iptcembed	51
iptcparse	51
is_array	80
is_bool	80
is_callable	81
is_dir	35
is_double	81
is_executable	35
is_file	35
is_finite	55
is_float	81
is_infinite	55
is_int	81
is_integer	81
is_link	35
is_long	81
is_nan	55
is_null	81
is_numeric	81
is_object	81
is_readable	35
is_real	81
is_resource	82
is_scalar	82
is_string	82
is_uploaded_file	36
is_writable	36
is_writeable	36
isset	82

J

join	72
jpeg2wbmp	51

K

key	22
krsort	22
ksort	22

L

lcg_value	55
levenshtein	72
link	36
linkinfo	36
list	23
localeconv	72
localtime	27
log	55
log10	55
log1p	55
lstat	36
ltrim	72

M

mail	52
max	55
md5	73
md5_file	72
metaphone	73
microtime	27
min	56
mkdir	36
mktime	27
money_format	73
move_uploaded_file	36
mt_getrandmax	56
mt_rand	56
mt_srand	56
mysql_affected_rows	61
mysql_change_user	61
mysql_client_encoding	61
mysql_close	61
mysql_connect	61
mysql_create_db	61
mysql_data_seek	61
mysql_db_name	61
mysql_db_query	61
mysql_drop_db	62
mysql_errno	62
mysql_error	62
mysql_escape_string	62
mysql_fetch_array	62
mysql_fetch_assoc	62
mysql_fetch_field	62
mysql_fetch_lengths	62
mysql_fetch_object	63
mysql_fetch_row	63
mysql_field_flags	63
mysql_field_len	63
mysql_field_name	63

mysql_field_seek	63
mysql_field_table	63
mysql_field_type	63
mysql_free_result	63
mysql_get_client_info	64
mysql_get_host_info	64
mysql_get_proto_info	64
mysql_get_server_info	64
mysql_info	64
mysql_insert_id	64
mysql_list_dbs	64
mysql_list_fields	64
mysql_list_processes	65
mysql_list_tables	65
mysql_num_fields	65
mysql_num_rows	65
mysql_pconnect	65
mysql_ping	65
mysql_query	65
mysql_real_escape_string	65
mysql_result	65
mysql_select_db	66
mysql_stat	66
mysql_tablename	66
mysql_thread_id	66
mysql_unbuffered_query	66

N

natcasesort	23
natsort	23
next	23
nl_langinfo	73
nl2br	73
number_format	73

O

octdec	56
opendir	28
ord	73

P

pack	59
parse_ini_file	37
parse_str	73
pathinfo	37
pclose	37
php_check_syntax	59
php_strip_whitespace	59
pi	56
png2wbmp	51
popen	37
pos	23
pow	56
prev	23
print	74

print_r	82
printf	74

Q

quoted_printable_decode	74
quotemeta	74

R

rad2deg	56
rand	56
range	23
readdir	28
readfile	37
readlink	37
realpath	37
register_shutdown_function	39
register_tick_function	39
rename	37
require	25
require_once	25
reset	23
restore_error_handler	29
restore_exception_handler	29
return	26
rewind	37
rewinddir	29
rmdir	38
round	57
rsort	24
rtrim	74

S

scandir	29
serialize	82
session_cache_expire	67
session_cache_limiter	67
session_commit	67
session_decode	68
session_destroy	68
session_encode	68
session_get_cookie_params	68
session_id	68
session_is_registered	68
session_module_name	68
session_name	68
session_regenerate_id	68
session_register	68
session_save_path	69
session_set_cookie_params	69
session_set_save_handler	69
session_start	69
session_unregister	69
session_unset	69
session_write_close	69
set_error_handler	29

set_exception_handler	29
setlocale	74
settype	82
sha1	74
sha1_file	74
show_source	60
shuffle	24
similar_text	74
sin	57
sinh	57
sizeof	24
sleep	60
sort	24
soundex	74
split	67
spliti	67
sprintf	75
sql_regcase	67
sqrt	57
srand	57
sscanf	75
stat	38
str_ireplace	75
str_pad	75
str_repeat	75
str_replace	75
str_rot13	75
str_shuffle	75
str_split	75
str_word_count	75
strcasecmp	76
strchr	76
strcmp	76
strcoll	76
strcspn	76
strftime	27
strip_tags	76
stripclashes	76
stripos	76
stripslashes	76
stristr	76
strlen	76
strnatcasecmp	77
strnatcmp	77
strncasecmp	77
strncmp	77
strpbrk	77
strpos	77
strptime	28
strrchr	77
strrev	77
stripos	77
strrpos	77
strspn	78
strstr	78
strtok	78
strtolower	78
strtotime	28

strtoupper	78
strtr	78
strval	82
substr	79
substr_compare	78
substr_count	78
substr_replace	78
switch	26
symlink	38
sys_getloadavg	60

T

tan	57
tanh	57
tempnam	38
time	28
time_nanosleep	60
time_sleep_until	60
tmpfile	38
touch	38
trigger_error	30
trim	79

U

uasort	24
ucfirst	79
ucwords	79
uksort	24
umask	38
uniqid	60
unlink	38
unpack	60
unregister_tick_function	40
unserialize	82
unset	82
user_error	30
usleep	60
usort	24
utf8_decode	83
utf8_encode	83

V

var_dump	83
var_export	83
vfprintf	79
virtual	15
vprintf	79
vsprintf	79

W

while	26
wordwrap	79

X

<code>xml_error_string</code>	83	<code>xml_parser_get_option</code>	84
<code>xml_get_current_byte_index</code>	83	<code>xml_parser_set_option</code>	84
<code>xml_get_current_column_number</code>	83	<code>xml_set_character_data_handler</code>	84
<code>xml_get_current_line_number</code>	83	<code>xml_set_default_handler</code>	85
<code>xml_get_error_code</code>	84	<code>xml_set_element_handler</code>	85
<code>xml_parse</code>	84	<code>xml_set_end_namespace_decl_handler</code>	85
<code>xml_parse_into_struct</code>	84	<code>xml_set_external_entity_ref_handler</code>	85
<code>xml_parser_create</code>	84	<code>xml_set_notation_decl_handler</code>	85
<code>xml_parser_create_ns</code>	84	<code>xml_set_object</code>	85
<code>xml_parser_free</code>	84	<code>xml_set_processing_instruction_handler</code>	85
		<code>xml_set_start_namespace_decl_handler</code>	85
		<code>xml_set_unparsed_entity_decl_handler</code>	86

Short Contents

1	Introduction	1
2	Installation	2
3	Customization	4
4	Menus	9
5	Completion	11
6	Indentation	12
7	Stuttering	13
8	Templates	14
9	Bugs, Help	87
	Index	88
	Customizations variables Index	89
	Functions Index	90
	Stuttering Index	96
	PHP Index	97

Table of Contents

1	Introduction	1
2	Installation	2
2.1	Requirements	2
2.2	Download	2
2.3	Installation	2
2.3.1	Installation	2
2.3.2	Update	2
2.4	Invoke PHP-Mode	3
3	Customization	4
3.1	Parameters	4
3.1.1	Mode	4
3.1.2	Menu	4
3.1.3	Templates	5
3.1.3.1	Header	5
3.1.4	Style	6
3.1.5	PHPDocumentor	7
3.1.6	Miscellaneous	7
3.2	Functions	7
3.2.1	Mode	7
4	Menus	9
4.1	PHP	9
4.1.1	Functions	9
4.2	Index	9
4.2.1	Customization	9
4.3	Sources	10
4.3.1	Customization	10
4.3.2	Functions	10
5	Completion	11
5.1	Customization	11
6	Indentation	12
6.1	Customization	12
6.2	Functions	12
7	Stuttering	13
7.1	Customization	13
7.2	Functions	13

8	Templates	14
8.1	Customization	14
8.2	Functions	14
8.2.1	.NET	14
8.2.2	Apache	14
8.2.3	Array Functions	16
8.2.4	Control Structures	24
8.2.5	Date/Time Functions	26
8.2.6	Directory Functions	28
8.2.7	Error and Logging	29
8.2.8	File System	30
8.2.9	Functions	39
8.2.10	Image	40
8.2.11	Mail	51
8.2.12	Mathematical	52
8.2.13	Miscellaneous	57
8.2.14	MySQL	60
8.2.15	Others	66
8.2.16	Regular Expressions	66
8.2.17	Session	67
8.2.18	String	69
8.2.19	Variable	79
8.2.20	XML	83
8.2.21	Non-PHP Functions	86
9	Bugs, Help	87
	Index	88
	Customizations variables Index	89
	Functions Index	90
	Stuttering Index	96
	PHP Index	97